


BID NOTICE

Sealed open bids are invited for the supply of various items as given below from the manufacturers / authorized distributors/ dealers for the Rajasthan High Court Bench, Jaipur. Rate Contract shall be valid for one year from date of dispatch of approval letter.

S. No.	Name of Items	Approx. Total Cost	Earnest Money
<u>PART-A</u>			
<u>FURNITURE ITEMS</u>			
1	Steel Caning Chair (without arm)	45000	900
2	Chairs for PC	128000	2560
3	Almira Steel	120000	2400
4	Rack Steel	52500	1050
5	Stool	14000	280
6	Office Table	66000	1320
7	Computer Table	100800	2016
8	Sofa 5 Seater with one Center & two Side Table	160000	3200
9	Executive Table	70000	1400
10	Executive Chair	28000	560
11	Visitor Chair	45000	900
12	Ladder Steel	14000	280
<u>PART-B</u>			
<u>ELECTRONIC/ ELECTRIC ITEMS</u>			
1	Paper Shredder Machine	200000	4000
2	Fax Machine	80000	1600
3	Pedestal Fan	12000	240
4	Inverter	55800	1116
<u>PART-C</u>			
<u>SWEEPING MACHINE & VACCUME CLEANER</u>			
1	Hand-pushed sweeping machine (For dust-free floor cleaning both indoors & outdoors)	25000	500
2	Vacuum Cleaner	114000	2280
<u>PART-D</u>			
<u>TROLLEY & STACK</u>			
1	Trolley for carrying files (As per sample available in office)	225000	4500
2	Stack for Library 7x7(Double side adjustable Book shelf)(as per sample available in office)	85000	1700

Bid form, with terms & conditions, can be obtained from Cash Section of this office, on payment of Rs. 400/- Detailed information regarding Bid is also be available on High Court Website - <http://hcraj.nic.in> and SPP Portal of finance department. A demand Draft / Banker Cheque of Rs. 400/- in favor of Registrar (Admn.) Rajasthan High Court Jaipur, should be enclosed for tender document fees downloaded by above mentioned website.

Bids should be in a sealed envelop marked conspicuously "Bid for Part A/B/C/D" (whichever is applicable), should reach on or before 04.02.2016 by 3.00P.M. The Bids will be opened on 05.02.2016 at 11.00 A.M., before Purchase Committee, in presence of interested bidders or their authorized representatives.


Registrar (Administration)
Raj. H.C.

Bid Form for Electric/ Electronic, Furniture & Other Items
 Bid Form Fee Rs.
 Due Date :

RAJASTHAN HIGH COURT BENCH, JAIPUR
BID – FORM

1. Bid for Part.....
2. Name and Postal Address of the Firm submitting Bid.....

3. Address to
4. Reference
5. The Bid fee amounting to Rs. 400/- has been deposited vide cash receipt No.....and date
6. We agree to abide by all the conditions mentioned in Bid Notice No. RHC B / STORE / 2016 -17 / dt.....
 and also the further condition of the said Bid Notice given in the attached sheets (all the pages of which have been signed by us in token of our acceptance of the term mentioned therein).
7. The rates for the items have noted against each are as under :-

S. No.	Name of Items	Required Qty.	Cost of per piece including VAT
<u>PART - A FURNITURE ITEMS</u>			
1	Steel Caning Chair (Without Arm)	18	
2	Chairs for Computers	40	
3	Almira Steel	15	
4	Rack Steel	15	
5	Stool	20	
6	Office Table	12	
7	Computer Table	36	
8	Sofa (3+1+1=5) seater with one Center & two Side Table	4	
9	Executive Table	7	
10	Executive Chair	7	
11	Visitor Chair	15	
12	Ladder Steel/Aluminum (as per sample available in office)	4	
<u>PART - B ELECTRONIC / ELECTRIC ITEMS</u>			
1	Paper Shredder Machine	10	
2	Fax Machine	4	
3	Pedestal Fan	4	
4	Inverter 1400 VA (2 Battery System), Sinewave	9	
<u>PART - C SWEEPING MACHINE & VACCUME CLEANER</u>			
1	Hand-pushed sweeping machine with un-equaed sweeping performance (For dust - free floor cleaning both indoors & outdoors)	1	
2	Vacuum Cleaners	2	
<u>PART - D TROLLEY & STACK FOR LIBRARY</u>			
1	Trolley for carrying files (as per sample available in office)	15	
1	Stack for Library (7x7) (Double side adjustable Book shelf) (as per sample available in office)	1	

8. The rates quoted above are valid up tothe period can be extended with mutual agreement.
9. Bank Draft / Bankers Cheque No. drawn on (Name of Banker) / cash receipt No. / Challan No. and date to cover earnest money is enclosed.
10. The Income Tax Clearance Certificate, VAT registration and VAT Clearance Certificate are submitted herewith.
11. Deceleration of manufacture / Dealer, etc., is also enclosed.

Signature of Bidder

BID conditions & specifications of Items

Note: Bidder should read these conditions carefully and comply strictly while sending their bid.

1. Bid must be enclosed in a properly sealed envelope according to the directions given in the tender notice.
2. **VAT Registration and Clearance Certificate:** No Dealer who is not registered under the VAT Act prevalent in the State where his business is located shall bid. The VAT Registration Number should be quoted and a VAT clearance certificate from the Commercial Taxes Officer of the Circle concerned shall be submitted without which the bid is liable to rejection.
3. **Income Tax Clearance Certificate :** Bidder will have to submit an Income Tax Clearance Certificate from the Income Tax Officer of the circle concerned along with the bids without which bid may not be considered.
4. Bid forms shall be filled in ink or typed. Bid filled in pencil shall not be considered. The bidder shall sign the bid form at each page and at the end in token of acceptance of all the terms and conditions of the bid.
5. Rate shall be written both in words and figures. There should not be errors and/or over-writings, corrections otherwise their bid may not be considered. VAT and Central Sales Tax should be mentioned separately.
6. All rates quoted must be FOR Jaipur and should include all incidental charges except VAT which should be shown separately. In case of local supplies the rates should include all taxes, and no cartage or transportation charges will be paid by the Government and the delivery of the goods shall be given at the premises of Purchase Committee. The rates, therefore, should be exclusive of local tax, in case goods to be purchased are for the purpose of resale or use as manufacture of any goods for sale, the rates shall be inclusive of local tax. In the former case, a certificate in the prescribed form will be furnished along with the supply order.
7. **Price Preference:** [Price preference will be given to the goods produced or manufactured by Industries of Rajasthan over goods produced or manufactured by Industries outside Rajasthan as per Purchase of Stores (Preference to Industries of Rajasthan) Rules, 1995.]
8. **Validity:** Bids shall be valid for a period of 90 days from the date of opening of Bid.
9. The approved supplier shall be deemed to have carefully examined the conditions, specifications, size and drawings, etc., of the goods to be supplied. If he has any doubts as to the meaning of any portion of these conditions or of the specification, drawing, etc., he shall get clarifications from the concerned office, before filing the Bid.
10. The contractor shall not assign or sub-let his contract or any substantial part thereof to any other agency.
11. **Specifications:**
 - (i) All article supplied shall strictly conform to the specifications, enclosed with the bid form and wherever articles have been required according to ISI specifications, those articles should conform strictly to those specifications and should bear such marks.
 - (ii) **Warranty/ Guarantee clause :** The bidder would give guarantee that the goods/stores/articles would continue to conform to the description and quality as specified for a period of one year from the date of delivery of the said goods / stores / articles to be purchased and that notwithstanding the fact that the purchaser may have inspected and /or approved the said goods/stores/articles, if during the aforesaid period of 30 days /months, the said goods/stores/articles be discovered not to conform to the description and quality aforesaid or have determined (the decision of the Purchase Committee in that behalf will be final and conclusive), the purchaser will be entitled to reject the said goods stores/articles or such portion thereof as may be discovered not to conform to the said description and quality, on such rejection the goods / articles / stores will be at the seller's risk and all the provisions relating to rejection of goods, etc., shall apply. The bidder shall, if so called upon to do, replace the goods, etc., or such portion thereof as is rejection by the Purchase Committee, otherwise the bidder shall pay such damage as may arise by reason of the breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the Purchase Officer in that behalf under this contract or otherwise.
 - (iii) In case of machinery and equipment also, guarantee will be given as mentioned in clause(ii) above and the bidder shall during the guarantee period replace the parts if any and remove any manufacturing defect if found during the above period so as to make machinery and equipments operative. The bidder shall also replace machinery and equipments in case it is found defective which cannot be put to operation due to manufacturing defect, etc.
 - (iv) In case of machinery and equipment specified by the Purchase Committee the bidder shall be responsible for carrying out annual maintenance and repairs on the terms and conditions as may be agreed. The bidder shall also be responsible to ensure adequate regular supply of spare parts needed for a specific type of machinery and equipments whether under their annual maintenance and repairs rate contract or otherwise. In case of change of model he will give sufficient notice to the Purchase Committee who may like to purchase spare parts from them to maintain the machinery and equipments in perfect condition.
12. **Inspection:**
 - (a) The Purchase Committee or his duly authorized representative shall, at all reasonable time, have access to the suppliers premises and shall have the power, at all reasonable time, to inspect and examine the materials and workmanship of the goods/equipment/machineries during manufacturing process or afterwards as may be decided.
 - (b) The bidder shall furnish complete address of the premises of his office, godown and workshop where inspection can be made together with name and address of the person who is to be contacted for the purpose. In case of those dealers who have newly entered in business, a letter of introduction from their bankers will be necessary.
13. **Samples :** Bids for articles marked within the schedule shall be accompanied by two set of samples of the articles tendered properly packed. Such samples, if submitted personally, will be received in the office. A receipt will be given for each sample by the officer receiving the samples. Samples if sent by train, etc., should be dispatched freight paid and the R/R or G.R. should be sent under a separate registered cover.
14. Each sample shall be marked suitably either by written on the sample or on a slip or durable paper securely fastened to the sample, the name of the bidder and serial number of the item, of which it is a sample in the schedule.
15. Approved samples would be retained free of cost up to the period of expiry of the contract. The Government shall not be responsible for any damage, wear and tear or loss during testing, examination, etc., during the period these samples are retained. The Sample shall be collected by the bidder on the expiry of stipulated period. The Government shall in no way make arrangements to return the samples. The samples uncollected within 2 months after expiry of contract shall be forfeited by the Government and no claim for their cost, etc., shall be entertained.
16. Samples not approved shall be collected by the unsuccessful bidder. The Government will not be responsible for

- any damage, wear and tear, or loss during testing, examination, etc., during the period these samples are retained. The uncollected samples shall be forfeited and no claim for their cost, etc., shall be entertained.
17. Supplies when received shall be subject to inspection to ensure whether they confirm to the specifications or with the approved samples. Where necessary or prescribed or practical, tests shall be carried out in Government laboratories, reputed testing house like Sri Ram Testing House, New Delhi and the supplies will be accepted only where the articles conform to the standard of prescribed specifications as a result of such tests.
18. **Drawl of Samples:** In case of tests, samples shall be drawn in all sets in the presence of bidder or his authorized representative and properly sealed in their presence. Once such set shall be given to them, one or two will be sent to the laboratories and / or testing house and the third or fourth will be retained in the office for reference and record.
19. **Testing charges :** Testing charges shall be borne by the Government. In case urgent testing is desired to be arranged by the bidder or in case of test results showing that supplies are not up to the prescribed standards or specifications, the testing charges shall be payable by the bidder.
20. **Rejection:**
- (i) Articles not approved during inspection or testing shall be rejected and will have to be replaced by the bidder at his own cost within the time fixed by the Purchase Officer.
- (ii) If, however, due to exigencies of Government work, such replacement either in whole or in part, is not considered feasible, the Purchase Officer after giving an opportunity to the bidder of being heard, shall for reasons to be recorded, deduct a suitable amount from the approved rates. The deduction so made shall be final.
21. The rejected articles shall be removed by the bidder within 15 days of intimation of rejection, after which Purchase Officer shall not be responsible for any loss, shortage or damage and shall have the right to dispose of such articles as he thinks fit, at the bidder's risk and on his account.
22. The bidder shall be responsible for the proper packing so as to avoid damage under normal conditions of transport by sea, rail and road and delivery of the material in good condition to the consignee at destination. In the event of any loss, damage, breakage or leakage or any shortage the bidder shall be liable to make good such loss and shortage found at the checking/ inspection of the materials by the consignee. No extra cost on such account shall be admissible.
23. The contract for the supply, can be repudiated at any time by the Purchase Officer, if the supplies are not made to his satisfaction after giving an opportunity to the bidder of being heard and recording of the reasons for repudiation.
24. Direct or indirect canvassing on the part of the bidder or his representative will be a disqualification.
25. (i) **Delivery period:** The bidder whose bid is accepted shall arrange supplies within the period as mentioned in Purchase order.
- (ii) **Extent of quantity – Repeat orders :** If the orders are placed in excess of the quantities shown in bid. The bidder shall be bound to meet the required supply. Repeat orders may also be placed on the rate and conditions given in the bid provided that the repeat orders are up to 50% of the quantity originally purchased and the period is not more than one month from the date of expiry of agreement. If the bidder fails to do so, the Purchase Officer shall be free to arrange for the balance supply by limited bid or otherwise and the extra cost incurred shall be recoverable from the bidder.
- (iii) If the Purchase Officer does not purchase any of the tendered articles or purchases less than the quantity indicated in the bid form, the bidder shall not be entitled to claim any compensation.
26. **Bid Security :**
- (a) Bid shall be accompanied by an Bid Security as per rules i.e. 2% of the approximate cost of tender without which bids will not be considered. The amount should be deposited in the name of Registrar (Administration) Rajasthan High Court Bench, Jaipur
- (i) Cash through treasury challan deposited under head "8443-Civil Deposits – 103 –Performance Security".
- (ii) Bank Drafts/Bankers Cheque of the scheduled Bank.
- (b) **Refund of Bid Security :** The bid security of unsuccessful bidder shall be refunded soon after final acceptance of bid.
- (c) **Partial exemption from Bid Security :** Firms which are registered with Director of Industries Rajasthan, shall furnish the amount of bid security in respect of items for which they are registered as such subject to their furnishing registration certificate in original or self attested Photostat copy from the Director of Industries, Rajasthan, at the rate of 1/2% of the estimated value of the bid shown in NIT.]
- (d) The Central Government and Government of Rajasthan Undertakings need not furnish any amount of bid security.
- (e) The **Performance Security** lying with the department / office in respect of other bids awaiting approval or rejected or on account of contracts being completed will not be adjusted towards bid security/security money for the fresh bids. The bid security may however, be taken into consideration in case bids are re-invited.
27. **Forfeiture of Bid Security :** The bid security will be forfeited in the following cases :
- (i) When bidder withdraws or modified the bid, after opening of bid but before acceptance of bid.
- (ii) When bidder does not execute the agreement if any, prescribed within the specified time.
- (iii) When the bidder does not deposit the security money after the supply order is given.
- (iv) When he fails to commence the supply of the items as per supply order within the time prescribed.
28. **Agreement and performance Security :**
- (i) Successful bidder will have to execute an agreement within a period of 7 days of receipt of order and deposit performance security equal to 5% of the value of the stores for which bids are accepted within 15 days from the date of dispatch on which the acceptance of the bid is communicated to him.
- (ii) The Bid Security deposited at the time of bid will be adjusted towards security amount. The Security amount shall in no case is less than earnest money.
- (iii) No interest will be paid by the department on the security money.
- (iv) The forms of security money shall be as below :-
- (a) Cash/Bank Draft/Bankers Cheque / Receipted copy of challan / fixed Deposit.
- (b) Post office Savings Bank Pass Book duly pledged.
- (c) National Savings Certificate, Defense Savings Certificates, Kisan Vikas Patras, or any other script /instrument under National Savings Scheme for promotion of small savings, if the same can be pledged. These certificates shall be accepted at surrender value.

- (v) The security money shall be refunded within one month of the final supply of the items as per purchases order in case of one time purchase and two months in case delivery is staggered, after the expiry of contract on satisfactory completion of the same or after the expiry of the period of guarantee if any, whichever is later and after satisfied there are no dues outstanding against the bidder.
- (2) (i) Firms registered with the Director of Industries Rajasthan in respect of stores for which they are registered, subject to their furnishing the registration in original form the Director of Industries or a self attached Photostat copy will be partially exempted from bid security and shall pay security deposit at the rate of 1% of the estimated value of bid.]
- (ii) Central Government and Government of Rajasthan's Undertakings will be exempted from furnishing security amount.
- (3) **Forfeiture of performance Security** : Security amount in full or part may be forfeited in the following cases :-
- (a) When any terms and conditions of the contract is breached.
- (b) When the bidder fails to make complete supply satisfactorily.
- (c) Notice of reasonable time will be given in case of forfeiture of security deposit. The decision of the Purchase Officer in this regard shall be final.
- (4) The expenses of completing and stamping the agreement shall be paid by the bidder and the department shall be furnished free of charge with one executed stamped counter part of the agreement.
- (ii) **Liquidated damages** : In case of extension in the delivery period with liquidated damages the recovery shall be made on the basis of following percentages of value of Stores with the bidder has failed to supply :-
- (1) (a) delay up to one fourth period of the prescribed delivery period 2 ½%
- (b) delay exceeding one fourth but not exceeding half of the prescribed period 5%.
- (c) delay exceeding half but not exceeding three fourth of 7½% the prescribed period.
- (d) delay exceeding three fourth of the prescribed period. 10%
- (2) Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- (3) The maximum amount of liquidated damages shall be 10%.
- (4) If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrance, he shall apply in writing to the authority, which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- (5) Delivery period may be extended with or without liquidated damages if the delay in the supply of goods is on account of hindrances beyond the control of the bidder.
- 29. Recoveries:** Recoveries of liquidated damages, short supply, breakage, rejected articles shall ordinary be made from bills. Amount may also be withheld to the extent of short supply, breakages, rejected articles and in case of failure in satisfactory replacement by the supplier along with amount of liquidated damages shall be recovered from his dues and security deposit available with the department. In case recovery is not possible recourse will be taken under Rajasthan PDR Act or any other law in force.
30. The Purchase Officer reserves the right to accept any bid not necessarily the lowest, reject any bid without assigning any reasons and accept bid for all or anyone or more of the articles for which bidder has been given or distribute items of stores to more than one firm/supplier.
31. The bidder shall furnish the following documents along with the original bid :-
- (i) Bid security as desired for applied category.
- (ii) VAT Registration Certificate.
- (iii) VAT clearance certificate.
- (iv) PAN Number.
- (v) Income Tax Clearance Certificate / copy of Return filed for last financial year.
- (vi) Firm Registration Certificate.
- (vii) Certificate of authorized dealership.
32. If any dispute arise out of the contract with regard to the interpretation, meaning and breach of the terms of the contract, the matter shall be referred to by the Parties to the Head of the Department who will appoint his senior most deputy as the Sole Arbitrator of the dispute who will not be related to this contract and whose decision shall be final.
33. All legal proceedings, if necessary arise to institute may by any of the parties (Government of Contractor) shall have to be lodged in courts situated in Rajasthan and not elsewhere.
34. All papers/pages of bid conditions must be signed by the bidders.
35. (i) Any Change in the constitution of the firm, etc, shall be notified forth with by the supplier in writing to the procuring entity and such change shall not relieve any former member of the firm, etc., from any liability under the contract.
- (ii) No new partner/partners shall be accepted in the firm by the supplier in respect of the rate contract unless he/ they agree to abide by all its terms, conditions and deposit with the purchase officer a written agreement to this effect. The supplier receipt for acknowledgment of that of any partners subsequently accepted as above shall bind all of them and will be sufficient discharge for any of the contract.
36. The bidders must have certification, from ISO 9001: 2008, ISO 14001:2004 & OHSAS 18001:2007 or from the Govt. Agencies who certifying the product.
37. The bidders shall have a local sales & service office at jaipur. Address and details of contact person to be attached.
38. Only Original Equipment Manufacturer (OEM) or their authorized dealer can be participate in the bid. In case of dealer, Authorization certificate form the manufacturer shall be submitted along with the bid.
39. The bidder shall provide documents supporting the Original Equipment Manufacture(OEM) facility.


40. Items must be provide with given specifications which are as under :-

Articles with specifications	
S. NO.	PART-A FURNITURE ITEMS
1	Steel Canning Chair without arm :- The seat and back are made from seasoned wood, knitted with cane and finished with synthetic paint (black). Back size 38.1cm.(W) x 39.0cm. (H), Seat size 38.1 cm (W) x 42.4 cm (D), CANE FOR SEAT / BACK : Cane is produced from blends of High and Low Density Polyethylene. The Cane high tensile strength at break = 1400 Kg/cm ² (min.) & Elongation at break = 54% maximum. UNDERSTRUCTURE ASSEMBLY : The understructure assembly is a cantilever type frame made of \varnothing 2.54 \pm 0.03 cm. x 0.2 \pm 0.016 cm. thick. M.S.E.R.W. tube and powder coated (DFT 40-60 microns)
2	Chair for Computer :- SEAT / BACK ASSEMBLY : The seat is made up of 1.2 \pm 0.1 cm. thick, hot pressed plywood measured as per QA method described in OCP - QLTA - P 14-18 and back injection moulded from black Co-polymer Polypropylene are upholstered with fabric and modeled Polyurethane foam together with covers. The back foam designed with contoured lumbar support for extra comfort. BACK SIZE : 39.0cm (W) x 24.0 cm. (H). SEAT SIZE : 45.5 cm. (W) x 41.0 cm. (D). HIGH RESILIENCE (HR) POLYURETHANE FOAM : The HR polyurethane foam is moulded with density = 45 \pm 2 kg / m ³ and hardness load 16 \pm 2 kgf as per IS : 7888 for 25% compression. ARM REST TUBE : The arm rest tube is made of 3.5 \pm 0.03 cm. x 1.5 \pm 0.02 cm. x 10.16 \pm 0.015 cm. thick. M.S.E.R.W oblong connecting tube welded to \varnothing 2.54 cm. x 0.16 \pm 0.015 cm. thick. M.S.E.R.W support tubes and black powder coated (DFT 40-60 microns). ARMRESTS : The arm rest is made of black integral skin polyurethane with 50-70 Shore 'A' Hardness and reinforced with M.S. insert. ADJUSTABLE BACK MECANISM : The adjustable mechanism is designed with the following features : 360 degree revolving type. Provision for backrest tube (3.5 \pm 0.03 cm. x 1.5 \pm 0.02 cm. x 10.16 \pm 0.015 cm.), Back height adjustment 9.0 \pm 0.5 cm.. Infinite locking of back height. PNEUMATIC HEIGHT ADJUSTMENT : the pneumatic height adjustment has an adjustment stroke of 11.0 \pm 0.3 cm. PADESTAL ASSEMBLY: The pedestal is fabricated from 0.2 \pm 0.02 cm. thick HR sheet (IS : DD 1079/HR), power coated (DFT 40-60 microns) and fitted with a injection molded black Polypropylene hub cap and 5 nos. twin wheel castor's. The pedestal is 55.0 \pm 0.5 cm. pitch - center dia. (65.0 \pm 1.0 cm. with castor's.). TWIN WHEEL CASTORS : The twin wheel castors are injection molded in Black Nylon.
3	Almira Steel :- Plain with 4 shelf, Size 916mm(W) x 486mm(D) x 1980mm(H), Constitution & Material : Welded construction, 0.7mm thick (\pm 0.07mm) CRCA for shelf, 0.8mm thick (\pm 0.08mm) High yield strength CRCA for doors and back, 0.9mm thick (\pm 0.08mm) CRCA for all other components. CRCA 'D' grade as per IS:513, CRCA 'D' grade high yield strength as per IS:513, Locking and handle: Mazak handle, Three way locking mechanism with shooting bolt. Shelving : Height wise adjustable shelf mounting, Uniformly Distributed Load Capacity per each full shelf is 40 Kg maximum, 4 Nos. of adjustable full Shelf, Box file A4 (85Wx345Hx285D) can be stored vertically on three shelves and the clear space above fourth shelf is 240mm. Leveler: M10 screw type leveler with hex plastic base. Finish : Epoxy Powder coated to the thickness of 50 microns (+- 10)
4	Rack Steel : Steel open type rack with eight adjustable shelves making 7 compartment made of 14 gauge slotted angle and shelves made with 20 gage sheet, Size 96"x36"x15" All steel structural components shall be processed and made from virgin material sourced from standard manufacturer.
5	Stool - Height 2'6" , Top MDF board (18"x18"), having 16 gauge square steel pipe (1" x 1"). Top side pipe distance 15" x 15" and bottom side pipe distance 19" x 19".
6	Office Table with three drawer units on one side:- Size: 1199mm x 590mm x 735mm, Tops :- The Panels are made from 18 \pm 0.5mm thick Pre-Laminated Boards as per with 2mm thick PVC Edge banding on all sides. Understructurew : C-Frame - Made from 0.9 \pm 0.09m thick powder coated 50microns (\pm 10) CRCA MS. Tubular Frame- : Dia 25.4 \pm 0.3mm x 1.2 \pm 0.096mm thick MS ERW tube. Made from 1 \pm 0.09mm thick powder coated 50 microns (\pm 10). Storage :- Shell- 0.5 \pm 0.07mm thick CRCA MS. Drawer Tray- 0.5 \pm 0.07 mm Thick CRCA MS. Drawer Front : - 0.8 \pm 0.1 mm Thick CRCA MS. Lock :- 10 Lever Cam Lock. Handles :- Built in Plastic.
7	Computer Table :- Computer table of 645(W) x 480(D) x 735(H) having MDF Top with PVC Lamination, Sliding key board tray, Shelve can be used for keeping CPU and books/printer, Front castors are lockable. 15Mm MDF for table top, 15mm PB for other panels. 0.18mm pvc was vacuum laminating for surface of table top and drawer front, 0.4mm lipping for other panels. KD fitting, 4 castors (2 locks), screw & slides and knock down fitting.
8	Sofa (3+1+1) with One Center & Two Side Table :- Sofa Specifications : Upholstery : PVC, Shade: Black, Weight (GSM) 575, Tear strength (Kg/cm ²), wrap 3401, weft : 19.78 , Breaking strength (Kg/cm ²), wrap 3.92 Kg, weft: 2.59Kg, Adhesion of coating kgf/5cm, warp:3.05 Kg , weft: 3.02 Kg, Color Fastness to Rubbing (Dry/Wet) (scale 1-5). Frame: Material - Pine Wood, Moisture content - 10- 12%, Thickness of Plywood used - 12mm & 18 mm. Seat Foam : Material- Slab stock, Density - 32 kg/ m ³ at seat and 28 kg/m ³ at back. Webbing: Material - Nylon, Thickness - 2mm. Legs: Material : PVC with 4mm bush. Dimensions for Single seater and Three seater sofa : Photo copy attached. Center Table : 10mm tampered glass top, 8mm tampered bottom glass for storage option, Chrome plated understructure, Passed 48 hours salt spray test, Glass attached to the understructure via UC disc. Load bearing capacity 30 Kg. Dimensions: 1100mm(W) x 600mm(D) x 460mm(H). Side Table : 10 mm tampered glass top, 8mm tampered bottom glass for storage option, Chrome plated understructure, Passed 48 hours salt spray test, Glass attached to the understructure via UC disc. Load bearing capacity 20 Kg. Dimensions: 550mm(W) x 550mm(D) x 510mm(H)
9	Executive Table Comprises of (a) Main Desk, (b) ERU, (c) Mobile pedestal:- (a) Main desk 1200 (w) x 600 (d) x 750(h), the table top is in white cedar, side panels are in black, while the modesty panel is a combination of black & white cedar. (b) The ERU is an independent standing unit. It is common for LHS & RHS. Size 900mm(w) x 450mm(D) x 750mm (H), the ERU top is in white cedar, side panels are in black, while the modesty panel is a combination of black & white cedar. © Mobile Pedestal : having two drawer (1 box drawer & 1 filling drawer) and Size: 390mm x 435mm x 529mm. The top & drawer fronts are in white cedar while the other components are in black.

Articles with specifications	
10	Executive Chair :-SEAT/BACK ASSEMBLY: The seat /back are made up of 1.2 ±0.1 cm. thick hot pressed plywood measured as per QA method described in OCP-QLTA-P14-18 and upholstered with fabric and moulded Polyurethane foam together with moulded seat and back covers. The back foam is designed with contoured lumbar support for extra comfort. HIGH BACK SIZE - 50.0cm.(W)x72.0 cm.(H), SEAT SIZE – 50.0cm.(W)x 46.5 (D). HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR Polyethylene foam is moulded with density = 45 ±2kg/m ³ and Hardness load 16 ±2 kgf as per IS:7888 for 25% compression's/ BACK COVERS: The seat cover is injection moulded in black co-polymer polypropylene and back cover is vacuum formed from ABS sheets. ARMRESTS : The one-piece armrests made of black integral skin polyethylene with 50-70 Shore 'A' Hardness and reinforced with M.S. insert. The armrests are scratch and weather resistant. The armrests are fitted to the seat with seat/armrest connecting strip assembly made of 05. ±0.5 cm. thk. HR steel.(A) CENTER TILT MECHANISM : The mechanism is designed with the following features:- 360 degree revolving type,17 degree ± 2 degree maximum tilt on pivot at center,Upright position locking,Tilt tension adjustment. PNEUMATIC HEIGHT ADJUSTMENT:- The pneumatic height adjustment has an adjustment stroke of 12.0 ±0.3 cm. TELESCOPIC BELLOW ASSEMBLY:- The bellow is 3 piece telescopic type and injection moulded in black Polypropylene. PEDESTAL ASSEMBLY:- The pedestal is injection moulded in black 33% glass-filled Nylon-66 and fitted with 5 nos. twin wheel castors. The pedestals 66.3 ±0.5 cm. (76.3 ±1.0 cm with castors). TWIN WHEEL CASTORS :- The twin wheel castors are injection moulded in Black Nylon.
11	Visitors Chair :-SEAT/BACK ASSEMBLY: The seat /back are made up of 1.2 ±0.1 cm. thick hot pressed plywood measured as per QA method described in OCP-QLTA-P14-18 and upholstered with fabric and moulded Polyurethane foam together with moulded seat and back covers. The back foam is designed with contoured lumbar support for extra comfort. MID BACK SIZE - 50.0cm.(W) x 49.0cm.(H), SEAT SIZE – 50.0cm.(W) x 46.5(D). HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR Polyethylene foam is moulded with density = 45 ±2kg/m ³ and Hardness load 16 ±2 kgf as per IS:7888 for 25% compression. SEAT BACK COVERS :- For the seat and back covers are injection moulded in black co-polymer polypropylene. ARMRESTS : The one-piece armrests made of black integral skin polyethylene with 50-70 Shore 'A' Hardness and reinforced with M.S. insert. The armrests are scratch and weather resistant. The armrests are fitted to the seat with seat/armrest connecting strip assembly made of 05. ±0.5 cm. thk. HR steel. TUBULAR FRAME :- The tubular frame is cantilever type & made of 2.54 ± .3 cm. x 0.2 ± 0.016 cm. thk. M.S.E.R.W tube and black powder coated (DFT 40-60 microns)
12	Ladder Steel / Aluminum (folding):- Five(5) feet folding and in case of open ten(10) feet. Having total (9) nine shelf. Each shelf width is 15". (as per sample available in office)
<u>PART-B ELCTRONIC / ELECTRIC ITEMS</u>	
1	Paper Shredder Machine : Insertion width - 220 mm., Cutting width - 3x25 mm (cross cut), Sheet Capacity: 6-7 sheets, DIN security level - 3, Staples also Shred, Motor capacity - 150 watts, Dimensions WDXH= 345x215x452 mm, Shred Bin Capacity - 20 ltr., Weight - 7 Kg. With Safety Flap.
2	Fax Machine :- General Features: Memory - 32 MB, Display - 16 characters x 2 Lines LCD, Print Speed- Up to 30ppm, Print Resolution- 600x600 dpi, HQ1200(2400x600dpi) quality, Scan: Optical Scanning Resolution- Max 600x2400 dpi, Interpolated Scanning Resolution – Max. 19,200s19,200 dpi, Copy: Multicopy (Stack)- Up to 99, Enlargement / Reduction – 600x600dpi 25% - 400% in 1% increments. Copy Resolution – 600x600dpi, Copy Speed-up to 30 cpm. Fax: Transmission Speed: Approx. 2.5 sec, Speed Dials- 200 locations, Group Dials- 20 groups, Broadcasting Locations-250 Locations, Error Correction Mode (ECM)- Yes, Memory Transmission – Up to 500 pages, Out – of – Paper Reception Up to 500 Pages, Paper Handling: Paper Input (Standard Tray)-250 sheet, Multi-purpose tray – 1 Sheet ,Manual Slot : Automatic Document Feed (ADF) : 35- sheet, Paper Output – 100-sheet, Power Consumption – Ready 60W, Printing: 510W. Sleep:6.6W, Deep Sleep: 1.2W, Noise Level printing 50dBA, Dimension/ Weight : Dimension (WXDXH)- 400x398x316.5mm, Weight – 11.8kg, Warranty – 12 months standard warranty
3	Pedestal Fan : - 400mm Seep, Strong motor for better air deliver, smooth oscillation, Superior Low voltage performance, Heavy base for stability, 2100RPM,
4	Inverter :- 1400 VA (2 Battery System), Sinewave
<u>PART-C SWEEPING MACHINE & VACCUME CLEANER</u>	
1	Hand-pushed sweeping machine with un-equaed seeping performance : Working Width with Side Brush 650 mm., Working Width without Side Brush 460 mm., Machine Width with Side Brush 780 mm., Height with Handle 1010 mm., Weight (ready for operation) 26 kg., Capacity of Hopper 40 Lit., Maximum Theoretical Area Performance 2600 m ² / hr, Maximum Practical Area Performance 1640 m ² /hr.
2	Vacuum Cleaner : No. of Motors - 2 Single Stage High Speed By Pass. Power – 2600 W. Voltage – 220 – 240 V. Water lift 2380 mmH ₂ O . Airflow 400 m ³ / h. Tank Capacity – 62 ltr.
<u>PART-D TROLLEY & STACK FOR LIBRARY</u>	
1	Trolley for carrying files:- Having 6mm thick angle frame. Round pipe handle 16 gauge thick attached (welded) with 6mm Flat (patti). Without wheel Trolley size is 3'(H)x 27"(L) x 27"(W). Trolley partition from ground height is 2'. Surrounded steel sheet 20 gauge thick with 6mm thick three flat (patti) support. Partition also made with 20 gauge steel sheet with support of 6mm thick three flat (patti). Wheels :- four movable Nylon wheels with capacity of 200 kg. Weight . (Sample can be seen in Store Section of the Rajasthan High Court Bench, Jaipur)
2	Stack for Library(7x7)Double side adjustable Book shelf :- Numbers of Both side Racks are 7x2 = 14, covered with both side 18 gauge thick shelf size 7'6" (L) x 2' (W). Total numbers of 16 gauge thick Folded G-Channels – (8) eight. Total 16 gauge G-Support are 7x2=14, Total numbers of foots are eight (8) having 16 gauge. (Sample can be seen in Library of Rajasthan High Court Bench, Jaipur)

① - Steel caning chair

Steel Caning chair




WIDTH (W): 43.1 CM.
DEPTH (D): 57.5 CM.
HEIGHT (H): 88.0 CM.
SEAT HEIGHT (SH): 45.0 CM.

THESE DIMENSIONS ARE PRODUCT-OUT TO OUT DIMENSION & VARIATION WITHIN ± 1.0 CM ARE NORMAL.

Chair for Computer

2.


Chair for Computer



Almirah Steel ③


mm

Almirah Steel




OFFICE TABLE

Round Tube
Under-Structure



W	D	H
1188	500	735

Computer Table



MDF Top with PVC Lamination

Sliding key board tray


Shelve can be used for keeping CPU and books/printer

Front castors are lockable


DIMENSIONS (in mm)

SOFA

1 Seater




3 seater




Center Table

Center Table

Center Table




Side Table



Executive Table


DIMENSIONS

Executive Desk




W	D	H
900	600	750
1200	600	750
1350	760	750

Side Unit




W	D	H
900	450	750
1200	450	750

Mobile Pedestal




W	D	H
390	435	523

COLOUR OPTIONS




WHITE CEDAR & BLACK

Executive chair



WIDTH (W):	76.3 CM.
DEPTH (D):	76.3 CM.
HEIGHT (H):	103.3-115.3 CM.
SEAT HEIGHT (SH):	44.2-54.2 CM.

Visitor chair



WIDTH (W): 59.0 CM.
DEPTH (D): 83.0 CM.
HEIGHT (H): 81.5 CM.
SEAT HEIGHT (SH): 45.0 CM.

THESE DIMENSIONS ARE PRODUCT OUT TO OUT DIMENSIONS & VARIATIONS WITHIN ± 1.0 CM. ARE NORMAL