

RAJASTHAN HIGH COURT, JODHPUR

CORRIGENDUM CUM CLARIFICATION

(Only Through E-Procurement System)

No. HC/SK/2021-22/510

Dated : 16.12.2021

Reference : NIT No HC/SK/2021-22/476 DATED 04-12-2021 for the supply installation and maintenance of Hardware Items and services for setting up Video Conferencing System at Rajasthan High Court Jodhpur and Jaipur and Pre-Bid dated 10.12.2021

Subject : Corrigendum

<><><><><>

I am directed to issue a corrigendum cum clarification for the above referred Tender as under:

| Item No. Sr. No. | Features | Description | Change |
|---------------------------------------|---------------------------------------|---|--|
| Item No.1 PTZ Camera (10X Zoom) | Point No.7 Zoom | 10 x lossless full HD zoom | The word lossless be replaced with optical or similar. |
| Item No.1 PTZ Camera (10X Zoom) | Point No.10 Audio | AAC, MP3 and PCM audio compression | AAC, MP3 and PCM audio compression be replaced with AAC/MP3/ PCM audio compression |
| Item No.2 20X PTZ VC camera | Point No.4 View Angle | 3.2°(tele)-- 55.8°(wide) | 3.2°(tele)—55.8°(wide) be replaced with 3.2°(tele)— 55.8°(wide) or better |
| Item No.2 20X PTZ VC camera | Point No.5 Iris | F1.8 – F2.4 | F1.8 – F2.4 be replaced with F1.8 – F2.4 or better |
| Item No.2 20X PTZ VC camera | Point No. 6 Sensor | 1/2.8 inch high quality HD CMONS Sensor | 1/2.8 inch high quality HD CMONS Sensor be replaced with 1/2.8 inch high quality HD CMONS Sensor or better |
| Item No.2 20X PTZ VC camera | Point No.7 Effective Pixels | 10:9 2.07MP | 10:9 2.07MP be replaced with 10:9 2.07MP or better |
| Item No.2 20X PTZ VC camera | Point No.8 Digital Zoom | 10X | 10X be replaced with 10X or better |
| Item No.2 20X PTZ VC camera | Point No.9 Minimum Illumination | 0.5Lux (f1.8, AGC ON) | 0.5Lux (f1.8, AGC ON) be replaced with 0.5Lux (f1.8, AGC ON) or better |
| Item No.2 20X PTZ VC camera | Point No. 10 DNR | 2D & 3D DNR | 2D & 3D DNR be replaced with 2D & 3D DNR or better |
| Item No.2 20X PTZ VC camera | Point No.22 Power Interface | HEC3800 outlet (DC12V) | HEC3800 outlet (DC12V) be replaced with HEC3800 outlet (DC12V) or better |
| Item No.2 20X PTZ VC camera | Point No.28 Power Adapter | AC110V-AC220V to DC12V/1.5A | This clause be deleted. |



| Item No. Sr. No. | Features | Description | Change |
|--|--|--|--|
| Item No.3 Wide Angle VC Camera | Point no.6 Sensor | 1/2.8" CMOS, 8.42 million pixels | 1/2.8" CMOS, 8.42 million pixels be replaced with 1/2.8" CMOS, 8.42 million pixels or better |
| Item No.3 Wide Angle VC Camera | Point no.7 Lens | Auto Focus, f=2.1mm, 4x Digital zoom, ePTZ | Auto Focus, f=2.1mm, 4x Digital zoom, ePTZ be replaced with Auto Focus, f=2.1mm, 4x Digital zoom, ePTZ or better |
| Item No.3 Wide Angle VC Camera | Point No.8 Iris | F2.2 | F2.2 be replaced with F2.2 or better |
| Item No.3 Wide Angle VC Camera | Point No.11 USB video Communication | Standard USB 3.0 Type-C interface | Standard USB 3.0 Type-C interface be replaced with Standard USB 3.0 Type-C or Type-A interface |
| Item No.3 Wide Angle VC Camera | Point No.17 Audio | AAC, MP3 and PCM audio compression | AAC, MP3 and PCM audio compression be replaced with AAC/MP3/ PCM audio compression |
| Item No.6 Lepal Microphone wireless | Point No.3 family | R300 | This clause be deleted. |
| Item No.6 Lepal Microphone wireless | Point No.5 Squelch | Tone code plus Amplitude | This clause be deleted. |
| Item No.6 Lepal Microphone wireless | Point No.8 Audio Frequency Response | 80 Hz - 18kHz +/- 2dB | 80 Hz - 18kHz +/- 2dB be replaced with 80 Hz - 18kHz +/- 2dB or better |
| Item No.6 Lepal Microphone wireless | Point No.9 Balanced Line Level Output (RMS Adjustable) | 10 - 100mV | This clause be deleted |
| Item No.6 Lepal Microphone wireless | Point No. 13 Polar Pattern | Cardioid | Cardioid be replaced with Cardioid/Omni Directional |
| Item No.6 Lepal Microphone wireless | Point No.16 Element | ULM18 directional Microphone | This clause be deleted |
| Item No.6 Lepal Microphone wireless | Point No.19 RF Frequency Range | 16MHz | 16MHz be replaced with 16MHz or better. |
| Item No.6 Lepal Microphone wireless | Point No.23 Antennas | Flexible TNC 1/2 Wave | Flexible TNC 1/2 Wave be replaced with Flexible TNC 1/2 Wave or similar. |
| Item No.7 Boundary layer Microphone | Point No.13 Current Consumption | <5mA with P48 supply | <5mA with P48 supply be replaced with <5mA with P48 supply (+- 0.5 mA) |

| Item No. Sr. No. | Features | Description | Change |
|---|---------------------------------------|--|--|
| Item No.8 Gooseneck Microphone 24" | Point No. 10 Dimensions (D x L) | 30 x 500 mm (19.69 x 1.18 in) | 30 x 500 mm (19.69 x 1.18 in) be replaced with 30 x 500 mm (+/-10%) |
| Item No.8 Gooseneck Microphone 24" | Point No.11 Weight | Approx. 300 gm (10.5)oz | This clause be deleted |
| Item No.8 Gooseneck Microphone 24" | Point No.12 Color | Dark Grey | Dark Grey be replaced with Dark Gray/Black or similar colour |
| Item No.8 Gooseneck Microphone 24" | Point No. 13 Cable length | 2 m (78 in) | 2 m (78 in) be replaced with 2 m (78 in) or more |
| Item No.8 Gooseneck Microphone 24" | Point No.14 Connector | 5-pin DIN 180" (locable) | 5-pin DIN 180" (locable) be replaced with 5-pin DIN 180" (locable) or similar. |
| Item No.9 Wallmount Speaker | Point No.11 Body Type | MDF Construction | MDF Construction be replaced with MDF/ABS Plastic construction |
| Item No.11 24" Monitor | Point No.13 Certification | BIS, UL, FCC | BIS, UL, FCC be replaced with BIS/UL/FCC |
| Item No.12 43" LED Display | Point No.5 Speaker | Built in Stereo Speakers with Amplifier with 5W X 5W capacity | Built in Stereo Speakers with Amplifier with 5W X 5W capacity be replaced with Built in Stereo Speakers with Amplifier with 5W X 5W capacity or better |
| Item No.12 43" LED Display | New Point - Brightness | | 300 Nits or higher be added |
| Item No.13 55" LED Display | Point No.5 Speakers | Built in Stereo Speakers with Amplifier with 5W X 5W capacity | Built in Stereo Speakers with Amplifier with 5W X 5W capacity be replaced with Built in Stereo Speakers with Amplifier with 5W X 5W capacity or better |
| Item No.13 55" LED Display | New Point - Brightness | | 300 Nits or higher be added |
| Item No.17 LED Display Monitor 43" | | | The heading of Item No. 17 be replaced with following:- Technical & Compliance Sheet of LED Display Monitor 43" Floor Mount stand. At the end of description of Sr.No.6 (Design) of Item No. 17, 'Indicative design is enclosed' be added. |
| Item No.18 24" Monitor Recliner Stand | | | At the end of description of Sr. No.4 (Design) of Item No. 18, 'Indicative design is enclosed' be added. |

| Item No. Sr. No. | Features | Description | Change |
|--|--|---|---|
| All Products | General Point to be added with all items | | A general note made added for all products:- BIS certification must be submitted for the products wherever it is applicable. |
| Annexure-1: Bill of Material (BoM). | Point no. 17-21 | MAF Required | In Annexure-1 Bill of Material, at Item No. 17 to 21, in column of MAF, 'Y' be replaced with 'N'. |
| Annexure-1 Bill Of Material (15) | Point No.15 | UPS 3kVA Preferred Makes: APC, Aton, Hitachi. | In Annexure-1 Bill of Material, at Item No. 15, in column of equipments, 'Aton' be replaced with 'Eaton'. This also be replaced at other respective places. |





Corrigendum will be also available on Rajasthan High Court website www.hcraj.nic.in. The rest of contents of RFP will remain same.

By Order,




Registrar (Administration)

Indicative Drawing of Item No. -18: 24" Monitor Recliner Stand (Final design subject to approval from the officer-in-charge)



Signature

Indicative Drawing of Item No. -17: LED Display Monitor 43"
(Final design subject to approval from the officer-in-charge)



Handwritten signature