Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

# राजस्थान उच्च न्यायालय, जोधपुर निविदा सूचना

क्रमांकः एचसी / एसके / उपापन / 2022-23 / 51

दिनांक : 17.01.2023

राजस्थान उच्च न्यायालय, जोधपुर के सी—42 स्थित गेस्ट हाउस के उपयोगार्थ एक नग 125KV Silent Genset with AMF Panel (with complete installation, testing & maintenance) की खरीद करने हेतु दरों के सम्बन्ध में बाजार की विभिन्न फर्मों सें https://eproc.rajasthan.gov.in पर आनलाईन निविदाए दिनांक 30.01.2023 सायं 05.00 बजे तक आमंत्रित की जाती हैं। निविदा का विस्तृत विवरण एवं शर्ते http://www.hcraj.nic.in एवं http://sppp.rajasthan.gov.in की वेबसाइट पर भी देखी जा सकेगी। (निविदा का अनुमानित मूल्य रूपये 11,79,696 / –)

आज्ञा से,

रजिस्ट्रार (प्रशासन)

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-ri@nic.in</u>

# राजस्थान उच्च न्यायालय, जोधपुर

### ई-निविदा सूचना

क्रमांकः HC/SK/Procurement/2022-23/51

दिनांक 17.01.2023

राजस्थान उच्च न्यायालय, जोधपुर के सी—42 स्थित गेस्ट हाउस के उपयोगार्थ एक नग 125KV Silent Genset with AMF Panel (with complete installation, testing & maintenance) की खरीद करने हेतु दरों के के सम्बन्ध में आनलाईन निविदाएँ आमंत्रित की जाती हैं। निविदा का विस्तृत विवरण निम्नानुसार है:—

कार्य का नाम		125KV Silent Genset with AMF Panel (with complete installation, testing & maintenance) की सप्लाई के सम्बन्ध में।
निविदा शुल्क (N	on Refundable)	1000 / — (रूपये एक हजार मात्र)
प्रोसेसिंग शुल्क (1	Non Refundable)	500 / — (रूपये पॉच सौ मात्र)
अनुमानित लागत		11,79,696 / — (रूपये ग्यारह लाख उन्नीयासी हजार छः सौ छियान्वें मात्र)
धरोहर राशि		23,594 / — (रूपये तेइस हजार पॉच सौ चौरान्वें मात्र)
निविदा डाउनलोड	उकरने की दिनांक व समय	दिनांक 17.01.2023 प्रातः 10.00 बजे से
निविदा अपलोड व	करने की अंतिम तिथी व समय	दिनांक 30.01.2023 सायं 5.00 बजे तक
	दस्तावेज एवं शुल्क कार्यालय । अंतिम तिथी व समय	दिनांक 31.01.2023 प्रातः 11.00 बजे तक
निविदा खोले जान	ने की तिथि व समय	दिनांक 31.01.2023 प्रातः 11.30 बजे
निविदा प्रपत्र साम डाउनलोड की ज	ने दर्शायी वैबसाइट से भी । सकती है	http://www.hcraj.nic.in, https://eproc.rajasthan.gov.in, http://sppp.rajasthan.gov.in

<sup>(</sup>i) e-Tender Processing fess :- Rs. 500/- (Rupees Five Hundred only), (in Favour of MD, RISL, Jaipur).

(ii) Cost of Tender Document :- Rs. 1000/- (Rupees One Thousand only), (in Favour of Registrar General, Rajathan High Court, Jodhpur).

आज्ञा से,

रजिस्ट्रार (प्रशासन)

<sup>(</sup>iii) निविदा प्रपन्न मय दस्तावेज एवं शुल्क दिनांक 31.01.2023 प्रातः 11.00 बजे तक कार्यालय में जमा करवाना अनिवार्य है, जिसके अभाव में सम्बन्धित निविदा को निरस्त कर दिया जाएगा।

### **INVITATION FOR BIDS (IFB) & NOTICE INVITING TENDER (NIT)**

- 1) Rajasthan High Court, Jodhpur invites electronic bid (eBid) proposals from reputed, competent Firms, who meet the minimum eligibility criteria as specified in this bidding document for "the Supply of 125KV Silent Genset with AMF Panel (with complete installation, testing & maintenance) at C-42, Guest House, Rajasthan High Court Jodhpur.", as detailed in the RFP document.
- 2) The complete bidding document has been published on the website http://eproc.rajasthan.gov.in, for the purpose of downloading.
- 3) Bidders who wish to participate in this bidding process must register on <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a>.
- 4) To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC.
- 5) A One envelope selection procedure shall be adopted.
- 6) Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal. However, DD for Tender Fees, RISL Processing Fees and EMD should be submitted physically at the office of Tendering Authority as prescribed in NIT and scanned copy of same should also be uploaded along with the technical bid/ cover.
- 7) RHC will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 8) No contractual obligation whatsoever shall arise from the RFP/ bidding process unless and until a formal contract is signed and executed between the tendering authority and the successful Bidder.
- 9) RHC disclaims any factual/ or other errors in this document (the onus is purely on the individual bidders to verify such information) and the information provided herein are intended only to help the bidders to prepare a logical bid-proposal.

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

# 🗓 125KV Silent Genset with AMF Panel (with complete installation, testing & maintenance) क्रय करने हेतु की गई निविदा एवं अनुबन्ध की शर्ते ::

### A. निविदा जारी करने वाले का नाम एवं निविदा का विवरण

- 1. रजिस्ट्रार जनरल, राजस्थान उच्च न्यायालय, जोधपुर (राज०), फोनः 0291–2888500 फैक्स: 0291-2888080, ईमेल – <u>hc-rj@nic.in</u>
- 2. निविदा सूचना राज्य सरकार के नियमों के अनुसार समाचार पत्रों में प्रकाशित करने के साथ राजस्थान सरकार एवं विभाग की अधिकृत वेबसाइट <a href="http://hcraj.nic.in/">https://sppp.rajasthan.gov.in</a> एवं https://eproc.rajasthan.gov.in पर भी प्रकाशित की जायेगी।
- 3. निविदादाता से अपेक्षित है कि वह राजस्थान सरकार की वेबसाइट https://eproc.rajasthan.gov.in पर ऑनलाइन निविदा जमा करवाने से पूर्व सम्पूर्ण निविदा का भली—भांति अध्ययन कर ले। इस सम्बन्ध में किसी भी प्रकार के स्पष्टीकरण हेतु निविदा सूचना की अंतिम तिथी से पूर्व तक कार्यालय समय में सम्पर्क किया जा सकता है। तथापि विभाग किसी प्रकार के लिखित स्पष्टीकरण हेतु बाध्य नहीं है। निर्धारित समय के पश्चात प्राप्त निविदाओं पर विचार नहीं किया जाएगा।
- 4. निविदादाता द्वारा निविदा के साथ अथवा उससे पूर्व निविदा शुल्क, प्रोसेसिंग शुल्क एवं बयाना राशि विहित रूप में जमा करानी अनिवार्य है जिसके बिना निविदा निरस्त समझी जायेगी। यदि निविदादाता किसी प्रकार की नियमानुसार छूट चाहता है तो उसे निविदा मे उसका उल्लेख करते हुए सम्बन्धित प्रपत्रों की स्व—सत्यापित प्रतियां संलग्न करनी होंगी, अन्यथा उक्त निविदा को छूट के योग्य नहीं समझा जायेगा।
- 5. विभाग द्वारा समय पर प्राप्त निविदाओं को, निविदा सूचना में दर्शाये गए समय एवं दिनांक को, क्रय समिति के सदस्यगणों द्वारा उपस्थित निविदादाताओं के समक्ष खोला जायेगा।
- 6. निविदादाता द्वारा निविदा निर्धारित प्रारूप मय अनुलग्नकों के तथा प्रत्येक पृष्ठ पर हस्ताक्षर कर व मोहर लगाकर बेवसाइट पर अपलोड करना होगा एवं एक कॉपी प्रिन्ट करके कार्यालय में निविदा शुल्क, प्रोसेसिंग शुल्क एवं धरोहर राशि के साथ जमा करवानी होगी। उक्त के अभाव में निविदा निरस्त कर दी जायेगी।
- 7. विभाग को किसी भी स्तर पर निविदा को, पूर्ण अथवा भाग को स्वीकार अथवा निरस्त करने का पूर्ण अधिकार होगा। अस्वीकृत/निरस्त निविदाओं के निविदादाताओं से कोई विचार—विमर्श नही किया जायेगा।
- 8. विभाग को किसी भी स्तर पर निविदा को, पूर्णतः(Completely) अथवा अंशतः(Partly) को, स्वीकार अथवा निरस्त करने का पूर्ण अधिकार होगा। अस्वीकृत / निरस्त निविदाओं के निविदादाताओं से कोई विचार—विमर्श नही किया जायेगा।
- 9. निविदा प्रपत्र में बतायी गयी शर्तों के अतिरिक्त निविदादाता की कोई भी अन्य शर्त स्वीकार नहीं की जायेगी।

### B. सामग्री की गुणवत्ता और नमूना

- 1. निविदा में वर्णित वस्तुओं / सामान के नमूना, वांछित गुणवता इत्यादि के सम्बन्ध में विस्तृत जानकारी कार्यालय समय में कार्यालय में उपस्थित होकर प्राप्त की जा सकती है।
- 2. फर्मों द्वारा फर्म के लेटर हेड पर निविदा में प्रस्तुत आइटम्स का मेक, मॉडल नम्बर लिखकर संलग्न करना होगा/साथ ही आइटम्स को फोटो/केटलॉग आवश्यक रूप से संलग्न करना होगा अन्यथा निविदा पर विचार नहीं किया जायेगा।

#### C. निविदा में दी जाने वाली सामग्री से सम्बन्धित निविदादाताओं से वांछित विशेष विवरण

- 1. सभी निविदादाताओं को अपनी फर्म के लेटर हेड पर आवश्यक रूप से उनके द्वारा दी गई दरों के सम्बन्ध में प्रत्येक आइटम्स का ब्राण्ड एवं मॉडल आवश्यक रूप से संलग्न करना है ताकि प्राप्त दरों का तुलनात्मक अध्ययन आसानी से किया जा सकता है।
- 2. निविदादात द्वारा दी गई निविदा प्रपत्र में भरी गई दर में Supply, Installation with all necessary electric & other component, Foudation, shadess, sidel wall व सिविल कार्य से सम्बन्धित अन्य सभी खर्च सम्मिलित है। राजस्थान उच्च न्यायालय द्वारा Supply and Installation के सम्बन्ध में अन्य किये जाने वाले किसी भी कार्य का अतिरिक्त भुगतान नहीं किया जायेगा।

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 02 ::

3. यदि किसी फर्म द्वारा निविदा प्रपत्र (Tender Form) में दी गई दरें न्यूनतम (Lowest) पायी जाती है एवं उसके द्वारा दी गई दर के सम्बन्ध में सामग्री का ब्राण्ड एवं मॉडल का उल्लेख नहीं किया जाता है तो न्यूनतम बोली प्रस्तुत करने वाला निविदादाता निविदा में प्राप्त उच्चतम क्वालिटी के ब्राण्ड एवं मॉडल की सामग्री को देने के लिये बाध्य होगा।

### D. पात्रता के मानदंड (Eligibility Criteria)

1. निविदा फर्म के निदेशकों / प्रोपराइटरों / साझेदारों / मालिक / कम्पनी सचिव के अतिरिक्त किसी अन्य व्यक्ति के द्वारा भरी जाने की अवस्था में उस व्यक्ति का निविदा भरने हेतु फर्म के निदेशकों / प्रोपराइटरों / साझेदारों / मालिक / कम्पनी सचिव के द्वारा अधिकृत किया जाने वाले दस्तावेज की प्रति प्रस्तुत करनी होगी जो फर्म के निदेशकों / प्रोपराइटरों / साझेदारों / मालिक / कम्पनी सचिव के द्वारा सत्यापित होनी चाहिए।

#### 2. पंजीकरण:-

- (a) निविदादाता के पास राजस्थान दुकान एवं वाणिज्य संस्थान अधिनियम, 1958 अथवा कम्पनी अधिनियम, 1956 के तहत अथवा इसके समकक्ष अधिनियम के तहत अन्य राज्य / केन्द्र में पंजीकृत होने का प्रमाण पत्र होना चाहिए।
  - नोट:— (किसी भी पंजीकरण के लागू नहीं होने की दशा में निविदादाता को स्वयं प्रमाणित घोषणा पत्र लैटर हैड पर अनिवार्य रूप से निविदा प्रपत्र के साथ संलग्न करना होगा)
- (b) पंजीकरण प्रपत्र की स्वयँ द्वारा सत्यापित प्रति संलग्न करनी चाहिये जिसके अभाव में निविदा निरस्त की जा सकेगी।
- 3. <u>कार्यानुभवः</u> निविदादाता को निविदा में वर्णीत सामान या इस तरह के सामान के सप्लाई कार्य का पाँच वर्ष का अनुभव होना चाहिए एवं इस तरह के सामान सप्लाई करने के लिये पंजिकृत होनी चाहिये।

### E. <u>बिड (प्रस्ताव) प्रस्तुत करने की विधि (Method for submission of the Proposal):</u>

निविदा राजस्थान सरकार के ई—पोर्टल http://eproc.rajasthan.gov.in पर एकल निविदा (Single Part) में निम्नानुसार दस्तावेज संलग्न (Upload) करते हुये भरी जायेगी —

	Online Bids Envelope shall include the following documents						
SNo.	Documents	Documents Type	Document Content	File Types			
	Fee Details (The scanned	Tender Fee	Scanned copy of Fee Receipt / DD/ Banker's Cheque				
1	copy of EMD	RISL Processing Fee	Scanned copy of DD/ Banker's				
	instruments)	EMD (2% of estimated cost)	Scanned copy of DD/ Banker's Cheque/ Bank Guarantee as per RTPP Act, 2012	.PDF			
SNo.	Documents	Pre-Qualification Documents					
	The	Compliance Sheet	as per Annexure-2				
	requirements as	Tender Form	as per Annexure-4				
2	mentioned in the	Experience Details	as per Annexure-6				
2	NIT & Complete	Self Declaration-Non Blacklisting	as per Annexure-5	.PDF			
	BID Document.	Completion Certificate	as per Annexure-7				
		RTGS Details of Firm (on firm	as per Annexure-8				
		Document related Eligible Critera	As per Tender Document				
SNo.	Documents	Technical Documents					
3	3 Price Bid (BOQ) Price BID (BOQ) as per Annexure-2 .XLS						
Note : (	(i) Price Bid needs to	be submitted only on e-procurement	website as per the BoQ template.				
(	ii) Above documents	(Sr. no. 1 to 3) to be provided as PDF	file in one cover				

F. धरोहर राशि(Earnest Money) :

- (I) निविदादाता को अमानत राशि (Earnest Money) हेतु निविदा के अनुमानित मूल्य की 2 प्रतिशत राशि (रूपये 23594 / –) रोकड़ अथवा डिमाण्ड ड्राफ्ट के रूप में कार्यालय में जमा करवानी होगी। डिमाण्ड ड्राफ्ट 'रिजिस्ट्रार जनरल, राजस्थान उच्च न्यायालय, जोधपुर' के नाम से देय होगा एवं रोकड़ राशि निविदा के अन्तिम तिथी से पूर्व कार्यालय के रोकड़पाल को जमा करवाकर इसकी प्राप्ति रसीद निविदा प्रपत्र के साथ संलग्न आवश्यक रूप से जमा करवानी होगी।
- (II) तथापि, यदि निविदादाता किसी प्रकार की नियमानुसार छूट चाहता है तो उसे निविदा में उसका उल्लेख करते हुए सम्बन्धित प्रपत्रों की स्व—सत्यापित प्रतियां संलग्न की जानी चाहिए अन्यथा उक्त निविदा को छूट के योग्य नहीं समझा जायेगा।

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 03 ::

- (III) यदि कोई निविदा प्रपत्र बिना धरोहर राशि के अथवा निर्धारित अमानत राशि से कम का पाया जाता है तो उसे बिना कारण बताये अस्वीकार किये जाने का अधिकार अधोहस्ताक्षरकर्ता के पास होगा।
- (IV) सभी असफल निविदादाताओं को उनके द्वारा जमा अमानत राशि निविदा के सफल निस्तारण के पश्चात लौटा दी जायेगी तथा इसके लिये किसी प्रकार का ब्याज इत्यादि देय नहीं होगा।
- G. प्रतिभूति राशि (Security Deposit) : सफल निविदादाता को सप्लाई आदेश प्राप्ति के पश्चात ७ दिवस के भीतर Rajasthan Transparency in Public Procurement Rules, 2013 के नियम ७५ के प्रावधानों के अनुसार निविदा के अनुमानित मूल्य की २.५ प्रतिशत राशि नकद / बैंक गारण्टी / डी.डी. प्रतिभूति राशि के रूप रिजस्ट्रार जनरल, राजस्थान उच्च न्यायालय, जोधपुर में जमा करानी होगी।
- H. प्रतिभृति राशि का समपहरण (Forfieture of Security Deposit) :— निम्नलिखित मामलों में में प्रतिभृति राशि को समपहृत कर लिया जाएगा:—
  - (a) जब संविदा में किन्हीं निबंधनों और शर्तों का उल्लंघन किया गया हो,जब निविदादाता सम्पूर्ण प्रदाय सन्तोषजनक ढंग से करने में असफल रहता हो,
  - (b) जमा कराई गई प्रतिभूति निक्षेप को समपहृत करने से पूर्व युक्तियुक्त समय देते हुए निविदादाता को नोटिस दिया जाएगा,
  - (c) प्रतिभूति निक्षेप का प्रतिदाय:— अनुबन्ध की अवधि समाप्त होने के तीन माह पश्चात् प्रतिभूति निक्षेप निविदादाता को लौटा दिया जावेगा।
  - (d) निविदा अनुबन्ध के दौरान, यदि निविदादाता अनुबन्ध को बीच में छोड़कर चला जाता है अथवा निर्धारित अविध तक अनुबन्ध की नियम—शर्तों के अनुसार कार्य करने में असमर्थ रहता है तो ऐसी दशा में निविदादाता की जमानत राशि और उसके बकाया भुगतान को जब्त कर निविदादाता की जोखिम व कीमत पर सफाई हेतु अन्य वैकल्पिक व्यवस्था करने का अधिकार होगा।
- I. अपात्रता निविदाएं निम्न कारणों से अपात्र घोषित की जा सकती है :
  - (a) निविदा सूचना में प्रकाशित अंतिम तिथि एवं समय के पश्चात प्राप्त हुई निविदाएं। (b) बिना निविदा मूल्य एवं बयाना राशि के जमा निविदाएं। (c) अपूर्ण निविदायें। (d) भ्रामक अथवा गलत तथ्य / दावे प्रस्तुत करने वाली निविदायें। (e) विभाग द्वारा चाहे गये स्पष्टीकरण को न प्रदान कर पाना / तय समय से देरी से प्रदान करना। (f) एक से ज्यादा निविदाएं प्रस्तुत करना। ऐसा होने पर फर्म द्वारा भरी गयी समस्त निविदाएं तकनीकी मूल्यांकन में निरस्त की जा सकेंगी। (g) अपूर्ण व सशर्त निविदा प्रस्तुत करना। (h) तकनीकी अहर्ताओं का पूर्ण न कर पाना। निविदादाताओं अथवा उसके किसी प्रतिनिधि का अवांछित रूप से प्रभाव डालना / डलवाना, विवाद इत्यादि करना, रिश्वत इत्यादि का प्रस्ताव करना अथवा गैर कानूनी रूप से तृष्टीकरण करना। (i) अल्प वैघता वाली निविदा प्रस्तुत करना।

J. हर्जाना / शास्ति / जुर्माना

- 1. सफल निविदादाता द्वारा समय पर सप्लाई एवं स्थापन्न का कार्य पूर्ण नही करने पर नियमानुसार जुर्माना लगाया जायेगा।
- 2. सफल निविदादाता को सप्लाई आदेश प्राप्ति के 60 दिन के भीतर—भीतर ही सप्लाई एवं स्थापन्न का कार्य पूर्ण करना होगा। सप्लाई कि गई सामग्री नियमानुसार नहीं पाये जाने पर सप्लाई आदेश निरस्त कर धरोहर राशि जब्त कर नियमानुसार कार्यवाही की जायेगी।
- 3. अग्रिम भुगतान देय नहीं होगा। संतोषप्रद सप्लाई के पश्चात ही भुगतान देय होगा। प्रत्येक सप्लाई आदेश की सप्लाई एक साथ ही करनी होगीं। वस्तु/ सामान निर्धारित मापदण्ड/ गुणवता का नहीं होने पर निविदा दाता के हर्जे खर्चे पर पुनः लौटा दिया जायेगा तथा वांछित सामान बाजार से क्रय किया जायेगा। इस सम्बन्ध में जिसकी अन्तर राशि सम्बन्धित निविदादाता से वसूल की जायेगी। उक्त कार्य के सम्पादन में यदि किसी भी प्रकार की हानि होती है, तो इसके लिये कार्यालय किसी भी प्रकार की क्षतिपूर्ति नहीं करेगा न ही कोई जिम्मेवारी होगी।
- 4. निविदादाता को कार्यादेश में दिये गये आदेशानुसार सप्लाई करनी होगी। यदि निविदादाता उक्त अविध में सप्लाई करने में असफल रहता है तथा पिरनिर्धारित नुकसानी के साथ पिरधान अविध में वृद्धि की जाती है तो कार्य के एक माह के मूल्य के निम्नलिखित प्रतिशत के आधार पर पिरसमापित नुकसानी (Liquidated demage) की वसूली की जाएगी:

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 04 ::

No	Condition	LD %
a.	Delay up to one fourth period of the prescribed delivery period / commencement of work	2.5 %
b.	Delay exceeding one fourth but not exceeding half of the prescribed period / commencement of work	5.0 %
c.	Delay exceeding half but not exceeding three fourth of the prescribed period / commencement of work	7.5 %
d.	Delay exceeding three fourth of the prescribed period / commencement of work	10.0 %

### K. Other Important Terms & Conditions:

- 1. The Registrar General reserves the right to reject/cancel any offer without assigning any reason.
- 2. The Registrar General, reserves the right to issue any corrigendum to the NIT or cancel the N.I.T. due to unavoidable circumstances and no claim in this respect will be entertained. The decision of The Registrar General will be final.
- 3. **Defect Liability Period**: The Defects Liability Period shall be for a period as per warranty period and shall commence from the date of complete installation. Any defect that may appear within the Defects Liability Period, shall be rectified by the Contractors without any extra cost to the Rajasthan High Court. In case of failure to do so within 10 days from such notice from the office, the Rajasthan High Court may get such rectification works carried out through any other firm and expenditure incurred by the office shall be recovered from bidder. Only, after all the defects pointed out during the Defects Liability Period have been rectified by the Contractor to the satisfaction of the office, thereafter, the Security Deposit will be refunded to the contractor.
- 4. All the necessary works related to the Job component like preparation of preliminary and as built drawings, liaisoning with the local authorities, govt. bodies for any type of NOC, clearance etc.; shall be under the scope of the bidder.
- 5. After completion of the installation work in all respects, the contractor shall offer the DG set for testing. Testing shall be carried out as under:
  - (I) The DG set shall be tested on load of Unity Power Factor for the rated KW rating. During testing, the DG sets shall be operated for 12 hours for DG set's KW rating including one hour on 10% overload after continuous run of the 12 hours. During testing, all control and safety operations shall be checked and proper record will be maintained. Any defect/ abnormality noticed during the testing shall be rectified. The testing will be declared successful only when no abnormality/ failure is noticed during the testing. The DG set will be cleared for dispatch to site only when the testing is declared successful by authorized representative.
- 6. **Trial Run/ Running-in-Period**: After successful testing of the DG set, trial run at available load will be carried out for 120 Hrs or 15 days whichever is earlier. The DG set will be operated and a log of the relevant parameters will be maintained during this period. The arrangement of staff for the trial run shall be made by the successful tenderer. However the diesel and lube oil required will be supplied by RAJASTHAN HIGH COURT. The contractor will be free to carry out necessary adjustments. The DG set will be said to have successfully completed the trial run, if no break down or abnormal/ unsatisfactory operation of any component of the entire installation included in the scope of work of the contract, occurs during this period. After that the DG set will be taken over by RAJASTHAN HIGH COURT subject to guarantee clause of the contract. This date of taking over the DG set, after trouble free operation during the trail run/running-in-period, shall be the date of acceptance /taking over.
- 7. **Safety measures:** All equipment shall incorporate suitable safety provisions to ensure safety of the operating personnel as per manufacturer's standard practice.

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-ri@nic.in</u>

:: 05::

- 8. **Statutory clearances:** Approval/ clearance of the complete installation shall be obtained by the contractor from CPCB/State pollution control board/ Local bodies/ CEA/ other licensing authorities, wherever required.
- 9. Guarantee: All equipment shall be guaranteed against unsatisfactory performance and/ or break down due to defective design, workmanship or material for a period of 12 months from the date of taking over the installation by RAJASTHAN HIGH COURT. The equipment or components or any part thereof, so found defective during the guarantee period shall be forthwith repaired or replaced free of cost to the entire satisfaction of the client. In case it is felt that undue delay is being caused by the contractor in attending the defect/fault removed, the same will be got done by RAJASTHAN HIGH COURT at the risk and cost of the contractor. The decision of RAJASTHAN HIGH COURT in this respect will be final.
- 10. Drawings for approval on Award of the work: The contractor shall prepare and submit three sets of following drawings and get them approved from RAJASTHAN HIGH COURT before the start of the work. The approval of drawings however does not absolve the contactor not to supply the equipment/materials as per the agreement, if there is any contradiction between the approved drawings and agreement.
  - (i) Layout drawings of the equipment to be installed including control cables, fuel/ lube oil pipes and supports/structure for exhaust piping, chimney and bus ducts/cable trays.
  - (ii) Drawings including section, showing the details of erection of entire equipment.
  - (iii) Electrical wiring diagrams from engine alternator set to electrical control panel, electrical control panel to essential to LT board including the sizes and capacity of the various electrical /control cables and equipment.
  - (iv) Dimensioned drawings of Acoustic enclosure/engine alternator set and electrical control panel.
  - (v) Drawings showing details of supports for pipes , chimney cable trays, ducts etc. Any other drawings relevant to the work.
- 11. **Drawings/Documents to be furnished on completion of installation:** Two sets of the following laminated drawings shall be submitted by the contractor while handing over the installation to RAJASTHAN HIGH COURT. One set shall be laminated on the hard base for display in the DG set room/room where AMF panel is installed and another set shall be kept with RAJASTHAN HIGH COURT. In addition drawings shall be given in Compact Disk.
  - (i) DG set installation drawings giving complete details of all the equipment, including there foundations.
  - (ii) Line diagram and layout of all electrical control/AMF panels giving switchgear ratings and there dispossesion, cable feeder sizes and their layout.

Control wiring drawings with all control components and sequence of operations to explain the operation of control circuits in AMF Panel/PCC.

- (i) Manufacturer's technical catalogues of all equipments and accessories.
- (ii) Operation and maintenance manual of all major equipments, detailing all adjustments, operations and maintenance procedure.

#### L. निविदा की सामान्य शर्ते-निर्देश

- 1. अधोहस्ताक्षरकर्ता सबसे कम मूल्य वाली निविदा को स्वीकार करने के लिये बाध्य नहीं है साथ ही वह निविदा को वित्तीय वर्ष की समाप्ति से पहले ही पूर्ण अथवा आंशिक रूप से समाप्त करने की घोषणा कर सकता है।
- 2. सभी निविदाओं को स्वीकार या अस्वीकार करने का अधिकार रजिस्ट्रार जनरल, राजस्थान उच्च न्यायालय, जोधपुर के पक्ष में सुरक्षित रहेगा तथा वह एक प्रकार की सामग्री के लिये एक से अधिक निविदादाता को सप्लाई आदेश देने के लिये स्वतंत्र होगा।
- रिजस्ट्रार जनरल, राजस्थान उच्च न्यायालय, जोधपुर उक्त निविदा के सफलता पूर्वक सम्पादन हेतु वर्णित नियम एवं शर्तो में किसी भी प्रकार के बदलाव के लिये स्वतंत्र होगा।

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – hc-rj@nic.in

:: 06 ::

- 4. सफल निविदादाता को सप्लाई आदेश प्राप्ति के सात दिवस के भीतर निर्धारित राशि के नॉन ज्यूिडशल स्टाम्प पर कार्यालय द्वारा निर्धारित प्रारूप में अनुबन्ध—पत्र भरकर प्रस्तुत करना होगा। इसका व्यय सम्बन्धित निविदादाता द्वारा ही वहन किया जायेगा।
- 5. सफल निविदादाता को सप्लाई आदेश में वर्णित सामान/आइटम्स की सप्लाई इस कार्यालय द्वारा चाहे गये निर्दिष्टि स्थान पर करने की समस्त जिम्मेवारी निविदादाता की होगी।
- 6. सफल निविदादाता को यह सुनिश्चित करना होगा कि उसके द्वारा सप्लाई की गई सामग्री कार्यालय द्वारा स्वीकृत किये नमूने अनुसार ही हो तथा माल डुप्लीकेट / अन्य ब्राण्ड या मेक का होने की स्थिति में वस्तु की खरीद द्वितीय न्यूनतम निविदादाता या स्थानीय बाजार से क्रय कर अन्तर की राशि सफल निविदादाता से वसूल किया जायेगा।
- 7. भुगतान हेतु विपत्र तीन प्रतियों में प्रस्तुत करना होगा तथा भुगतान की कार्यवाही सप्लाई के भौतिक रूप से सत्यापित हो जाने के पश्चात ही किया जायेगा।
- 8. विपत्रों का भुगतान केवल ECS के माध्यम से किया जायेगा तथा इस हेतु निविदादाता को वांछित सूचना जैसें PAN No., TIN No, Bank A/C No., Name of Bank, Branch, IFSC Code, MICR Code, etc. उपलब्ध करवानी होगी। इस सम्बन्ध में किसी भी प्रकार की सूचना कम अथवा गलत पाये जाने पर होने वाली देरी अथवा नुकसान की जिम्मेवारी इस कार्यालय की नहीं होगी।
- 9. कार्यालय निविदाप्रपत्र में भर गये सभी तथ्यों एवं उसके संलग्न दस्तावेजों के सम्बन्ध में किसी भी प्रकार की त्रुटि / जालसाजी पाये जाने पर उसे निविदा अनुबन्ध का उल्लंघन मानते हुये आवश्यक कानूनी कार्यवाही करने को स्वतंत्र रहेगा।
- 10. लेवी, कर, चुंगी, पैकिंग, अग्रेषण, भाड़ा, बीमा, लदान और उतराई, प्रवेश कर, डेमो इत्यादि सभी प्रकार के शुल्क निविदादाता द्वारा ही वहन किया जायेगा। कार्यालय द्वारा निविदा प्रपत्र में वर्णित दरों के अतिरिक्त अन्य किसी प्रकार का भुगतान नहीं किया जायेगा।
- 11. उपरोक्त शर्तो के अतिरिक्त राजस्थान सरकार के General Financial and Accounts Rules के नियम एवं Transparency in Public Procurement Act 2012 & Rules, 2013 के प्रावधान लागू होगें।

### M. अमानत राशि (Earnest Money) का समपद्धण / जब्ती:-

- 1. जब निविदादाता निविदा खुलने के पश्चात अपनी निविदा प्रत्याहत या उपांतरित करता है ;
- 2. जब निविदादाता प्रदाय / संकर्म आदेश देने के पश्चात विनिर्दिष्ट कालावधि के भीतर करार, यदि कोई हो, का निष्पादन नहीं करता है :--
  - (a) जब निविदादाता विनिर्दिष्ट समय के भीतर प्रदाय / संकर्म आदेश के अनुसार माल या सेवा का प्रदाय या संकर्म का निष्पादन प्रारम्भ करने में असफल रहता है ;
  - (b) जब निविदादाता प्रदाय / संकर्म आदेश दिये जाने के पश्चात विनिर्दिष्ट कालावधि के भीतर कार्य संपादन प्रतिभूति जमा नहीं कराता है ;
- 3. यदि निविदादाता Rajasthan Transparency in Public Procurement Rules, 2013 के अध्याय 6 (CHAPTER VI) में विनिर्दिष्ट निविदादाता के लिए विहित सत्यनिष्ठा की संहिता के किसी उपबंध का भंग करता है।

मैने / हमनें उक्त वर्णित नियमों एवं शर्तो को अच्छी तरह से पढ़ लिया है तथा मैं / हम उक्त नियम और शर्तो से पूर्णतया सहमत है। इस सम्बन्ध में भविष्य में किसी भी प्रकार के होने वाले विवाद के लिये मैं / हम स्वयं जिम्मेदार होगें ।

∷ 07 ∷

# Annexure-A Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) not misuse any Information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) not obstruct any investigation or audit of a procurement process;
- (g) disclose conflict of interest, if any; and
- (h) disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

#### Conflict of Interest :-

The Bidder participating in a bidding process must not have a Conflict of Interest. A Conflict of Interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in Conflict of interest with one or more parties in an bidding process if, including but not limited to;

- (a) have controlling partners/shareholders in common; or
- (b) receive or have received any direct or indirect subsidy from any of them; or
- (c) have the same legal representative for purposes of the Bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- (e) the bidder participates in more than one Bid in the bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- (f) the Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or is proposed to be hired) by the procuring Entity as engineer-in-charge/consultant for the contract.

:: 08 ::

#### <u>Annexure-B</u> <u>Declaration by The Bidder regarding Qualification</u>

#### **Declaration by the Bidder**

respons	ion to my/our Bid submitted to for se to their Notice Inviting Bid No Dated I an Transparency in Public Procurement Act, 2012, that:				
1.	I/We possess the necessary professional, technical, final competence required by the Bidding Document issued by the P	G			
2.	I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the bidding document;				
3.	I/We are not insolvent in receivership, bankrupt or being wound up, nor have my/our affairs administered by a court or a judicial officer. My/our business activities have not been suspended and are not the subject of legal proceedings for any of the foregoing reasons;				
4.	I/We do not have, neither have our directors and officers, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, I/we have not been otherwise disqualified pursuant to debarment proceedings;				
5.	I/We do not have a conflict of interest as specified in the Act, Rules and Bidding Document, which materially affects fair competition;				
Date: Place :		Signature of Bidder Name: Designation: Address:			

 दिनांक :
 हस्ताक्षर निविदादाता

 स्थान :
 मय पता सील मोहर

:: 09 ::

# Annexure-C Grievance Redressal during Procurement Process

The designation and address of the Appellate Authority

#### (1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a procuring Entity evaluates the Technical Bids before the opening of the financial Bids, an appeal related to the matter of Financial Bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para(1) fails to dispose of the appeal filed within the period specified in para(2), or if the Bidder or prospective bidder of the Procuring Entity is aggrieved by the order passed by the Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be.

#### (4) Appeal not to lien in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

#### (5) Form of Appeal

- (a) An appeal under para(1) or (3) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any. Affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to Appellate Authority, as the case may be, in person or through registered post or authorized representative.

#### (6) Fee for Filing Appeal

- (a) Fee for filing appeal shall be rupees two thousand five hundred, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

#### (7) Procedure for disposal of appeal

- (a) The Appellate Authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the Appellate Authority, as the case may be, shall,-
- (i) Hear all the parties to appeal present before him; and
- (ii) Peruse or inspect documents, relevant records or copies there of relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies there of relating to the matter, the Appellate Authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause(c) above shall also be placed on the State Public Procurement Portal.

:: 10 ::

Form No. – 1 Memorandum of Appeal (See sub-rule 1 of rule 83)

# Memorandum of Appeal under the Rajasthan Transparency in Public Procurement

Act, 2012

# Appeal No ...... of ...... Before.....(Appellate Authority) 1 Particulars of appellant: (i) Name and father's name of the appellant :..... (ii) Official address (iii) Residential address 2. Name and address of the respondent(s) (i) ..... (ii) ..... 2. Number and date of the order appealed against and name and designation of the officer / authority who passed the order, or a statement of a decision, action or omission of the procuring entity in contravention to the provisions of the Act by which the appellant is aggrieved 3. If the Appellant proposes to be represented by :..... a representative the name and postal address of the representative. 5. Number of affidavits and documents enclose with the appeal: 6. Grounds of appeal:-.....(Supported by an affidavit) 7. Praver Place ..... Date .....

दिनांक : स्थान :

Appellant's Signature

हस्ताक्षर निविदादाता मय पता सील मोहर

लगातार.....11

:: 11 ::

# Annexure-D Additional Conditions of Contract

#### 1. Correction of arithmetic errors.-

Provided that Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis, namely: -

- (a) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

#### 2. Procuring Entity's Right to vary Quantities.-

- (a) At the time of award of contract, the quantity of Goods, works or service originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase of decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change n the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (b) If the procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (c) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not more than 50% of the value of Goods of the original contract in current financial year 2022-23 on same terms and conditions. If the suppliers fail to do so, the Procuring Entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the Supplier.

#### 3. Dividing quantities among more than one bidder at the time of award.-

As a general rule all the quantities of the subject matter of procurement shall be procured from the bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidders, whose Bid is accepted and the second lowest Bidder or even more bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 12 ::

# <u>Annexure -1 Technical Specification & Compliance Sheet for complete</u> <u>installation, testing & maintenance of 125KV Silent Genset &</u>

(Must be on OEM/Bidder Letter Head with Sign, Seal & Contact Details)

S. NO.	CH. NO.	. NO. PARTICULARS QTY U		UNIT	Make & Model No.	Compliance Yes/No
		SITC of Radiator Cooled and Turbo charged Silent			1101	
		DG Set (As per latest CPCB emission norms) having				
1	23.17	specifientions as per A, B, C, D, E, F, G, H & I				
		Approved Make : Ashok Leyland / Mahindra /				
		Greaves / Kirloskar / Sudhir				
		A) 1500 RPM Diesel Engine conforming to				
		BS:649/5514 of suitable BHP (up to 82.5 kVA 6 cylinder or Below required, 125 kVA & Above				
		ratings 6 cylinder or above required ) capable of				
		taking 10% over loading for one hour after 12 hours				
		of continuous operation., Dry exhaust mainfold with				
		Hospital grade silencer and catalytic convertor				
		(isolated from main DG chamber), up to 3 M				
		exhaust piping (with LRB insulation & Alum.				
		cladding ) as required.				
		B) AC Brush less SPDP Alternator conform to BS				
		5000 (part 99) or IS/IEC 60034-1. Alternator shall be self regulated with standard Alternator Protection				
		(Over voltage, over speed & under voltage, under				
		speed warning & shutdown). Engine & Alternator				
		mounted on a common base Frame & coupled				
		through a flexible coupling or close coupled				
		C) CPCB / ARAI approved Standard canopy with				
		Weatherproof, powdercoated Accoustic enclosure				
		for DG set for sound attenuation fabricated from				
		1.6 mm CRCA sheet steel (structure) with sidewall				
		fabricated from 1.6 mm CRCA sheet & filled with				
		glasswool (96Kg/m3)/Foam. as per IS8183 the doors of 28/40/50/85mm thick as perrating and fabricated				
		from 1.6mm CRCA sheet packed with accoustic				
		material, All doors/opening are sealed with				
		neoprene/ EPDNgaskets. The DG Set has Inbuilt /				
		External in fuel tank to run 6 to 8 Hrs as per OEM				
		standard, with protection and tripping of DG set				
		against temperature of more than 50 degree				
		centigrade.				
		D) Electronic / Mechanical governor, Manual &				
		electric Start Batteries with battry charger, Engine instruments panel, AVM pads All controls for				
		operation of DG set are from outside the enclosure				
		with DG control panel having Microprocessor based				
		Genset monitoring like Running Hour, RPM, Low				
		Lube Oil tripping & control system, Panel mounted				
		MCCB/ACB of suitable rating, Ammeter, Voltmeter,				
		PF meter, frequency meter, KWH meter, digital fuel				
		display meter, Ind.lamps etc. mounted inside				
		enclosure, visible and accessible from outside. The				
		enclosure should be suitable for following capacity DG sets and alternator. Noise level shall be less than				
		75 dB at a distance of 1 Mtrs. duly certified by				
		authorised agency etc. complete in all respect of				
		following capacity				
		E) (i) Accoustic glass wool wall thickness should not				
		be less then 40mm and not less then 20mm PU				
		foam upto rating 100 KVA. (ii).Accoustic glass wool				
		wall thickness should not be less then 65mm and				
		not less then 50mm PU foam upto rating 250 KVA.				
		(iii)Accoustic glass wool wall thickness should not be less then 100mm for rating above 250 KVA.				
		iess then toomin for fathig above 250 KVA.				

दिनांक : स्थान : हस्ताक्षर निविदादाता मय पता सील मोहर

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

**:: 13 ::** 

S. NO.	CH. NO.	PARTICULARS	QTY	UNIT	Make & Model No.	Compliance Yes/No
		F) First filling of the fuel tank shall be done by contractor and the prevailing fuel cost at that time shall be reimbursed to the contactor by department.				
		G) Servicing Contract of DG Set from OEM's Authorised Service Dealer OEM guidelines during the DLP period shall be done as by contractor including all consumables, actual charges shall be reimbursed to the contractor by End User Department.				
		H) Manufacturer/ OEM must have its authorized service dealer in Rajasthan Which can provide service within 6 Hours of compalint registration				
		I) DG set will be Manufacturer's offered for Inspection and Testing at Manufecturer's Works in presence of Departmental Engineers. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR				
	23.17.9	23.17.9 125 KVA at 0.8 pf 415V 50Hz 3-6	1	set		
2	23.24	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement All work up to plinth level				
	23.24.1	1:2:4 (1 cement: 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	4	cum		
3	23.25	Plaster on new surface on wall in cement sand mortar 1:4 including racking of joints etc. complete fine finish				
	23.25.1	20mm thick	10	sqm		
4	23.26	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding:				
6	23.26.1	New work (Two or more coats applied @3.84 kg/10 sqm).	10	sqm		
7	23.21	Earth work in excavation/ by mechanical means (Hydraulic Excavator) / Manual means over areas (exceeding 30 cm in depth, 1.5m in width as well as 10 sum on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed:	3	cum		
8	23.22	Random rubble masonry with hard stone in foundation and plinth including levelling up with cement concrete 1:6:12 (1 cement: 6 coarse sand: 12 graded stone aggregate 20 mm nominal size) upto plinth level with Cement Mortar 1:6 (1-Cement: 6-Sand).	4	cum		
9	14.4	Supply and installation of high tensile low carbon steel rod molecularly bonded with 99.9 % Copper thickness (250 microns) and confirming to UL 467, IS/IEC 62561-2 of following size and length and as per point mentioned (a), (b), (c). (d). (e) below				
		(a) Bore a hole of dia. 100 mm of required length, Place the rod in the centre of Hole				

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 14 ::

S. NO.	CH. NO.	PARTICULARS	QTY	UNIT	Make & Model No.	Compliance Yes/No
		(b) filled with anti corrosive conductive compounds with the permanent sealings at both the ends, CPRI/ ERDA tested with RMS capacity of minimum 30 KA for withstanding 1 second .To ensure the moisture content and electrical conductivity, 25 kg for 2000 mm & 50 Kgs for 3000mm of resistance lowering earth				
		enhancement material shall be used as a backfill compound. The compound shall be tested form NABL acredeated lab for low resistivity (less than 0.12 Ohm meter ) & high conductivity in nature with carbon as a major content as per referance of IS 3043-1987,IEEE 80-2013 (clause 14.5d), IEEE 837 & IER 1956 with latest amendements				
		(c) Connect the rod with copper Strip/Conductor/Wire with suitable clamp made from tinned copper and SS 304 Bolt				
		(d) Place Heavy duty weather proof poly-propylene earth pit chamber with lockable Jam free lid suitable for safe working load 5000 Kg or more of size Top Dia. 225 to 260 mm, Bottom Dia 300 to 350 mm. and Height 250 to 300 mm.				
		(d) Testing of earth resistance for value of 5 ohms or less as required & must record by engineer in charge during site visit and ensure to enter in measurment book.				
		(e) Test certificates for confiming above standards from OEM is mandatory. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR				
	14.4.1	17.2 mm thick and 3 Mtr. Long	4	set		
10	Supply & Laying following size earth strip in horizontal or vertical run in surface by means of Earth strip DMC Insulator including riveting/ soldering/ welding. Jointing shall be done by					
	14.5.8	25mm x 3mm tinned copper strip	10	Mtr.		
11	14.5.14  25mm x 3mm G.I. ( Hot Dipped ) Strip  Supply & Laying following size earth wire in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection with Gl/Cu purity purity >95% thimble etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR		10	Mtr.		
	14.6.7	6 SWG G.I.(Hot Dipped ) Wire	20	Mtr.		
12	14.7	Supply & Laying following size' B' class , G.I. Pipe confirming to IS: 1239 P - 1 (2004) with accessories like bend, socket etc. for laying earth conductor/ strip / cable in ground/ surface/ recess as required. All as per pre approved by Engineer in charge. (Earth Excavation will be include)All as per pre approved by Engineer in charge. For additional technical parameters of products/ work refer Annexure "A" attached with this BSR.				

 दिनांक :
 हस्ताक्षर निविदादाता

 स्थान :
 मय पता सील मोहर

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 15 ::

S. NO.	CH. NO.	PARTICULARS	QTY	UNIT	Make & Model No.	Compliance Yes/No
	14.7.9	100 mm dia.	50	Mtr.		
13	Engineer in charge. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work Annexure "A"		4	Each		
14	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Arrmoured Aluminium cable confirming to IS:1554 P-I/IS:7098 P - I of 1.1 KV with H4-Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %, round/ flat strip armouring of cables, Inner / outer sheath confiming to IS:5831 in existing RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench/Cable tray(with cable tie) including testing etc. as required of following size. OEM must have it's own in house NABL accrediated Laboratory for testing procedure as per IS:10810.For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
	11.2.10	120.0 Sq. mm				
	11.2.10.2	3.5 core	160	Mtr.		
15	11.5	Add Extra for Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade direct in ground including excavation of trench of size 75 cm (Depth) x 35 cm(Width), with procedure as per following points: (a)Make a river sand bed of height 125 mm along the trench, (b) Lay the cable in the middle of the trench, (c) Provide river sand bed of height 125 mm on top of the cable, (d) Lay the protective Common burnt clay F.P.S. Bricks of Class designation 75/Sand stone slabs of 50 mm thickness and 225 mm wide just above the sand bed verlically across the cable (Approx. 9 no. Bricks per Mtr.), (e) Backfill the excavated soil leaving 300 mm from the Ground level, (f) Lay the Cable warning tape and again back-fill the remaining portion of the trench upto the ground level and compacting the earth	100	Mtr.		
16	11.6	Add Extra in Item no. 1 1.5 if Excavation done in Hard Rock/ CC road/ TAR Road and making Good the same	50	Mtr.		
17	11.10	Add extra in item no. 11.1 to 11.4 for Laying Charges for cable through Manual Boggi by making pit at regular interval and repairing the pit afler laying of cable with PCC/ Bitumin as required.	20	Mtr.		
18	12.2	Supplying and making one end termination with Nickel plated heavy duty brass single compression gland (as per IS 12943-1990) SIBG type consisting of Check Nut, Gland Body, Metal Washer(3 Nos.), Outer Seal Rubber Ring. Compression Nut, heavy duty Copper lugs (IS 8337-1976) duly crimped with crimping tool, PVC tape for following size of PVC insulated & PVC sheathed/ XLPE copper conductor cable of 1100 volt grade as required. All as per pre approved by Engincer in charge. For additional technical parametes of products/ work, refer Annexure "A" allached with this BSR.				

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 16 ::

S. NO.	CH. NO.	PARTICULARS	QTY	UNIT	Make & Model No.	Compliance Yes/No
	12.2.9	3x 120.0 sq.mm	4	set		
19	Supplying and making end termination with heavy aluminium lugs Pin / ring type confirming to IS 8309 -1993 & IS 8337-1976 duly crimped with					
	12.3.12	120.0 Sq.mm	10	Each		
20	23.29	SITC of PLC Based Auto main failure (AMF) Panel fabricated from CRCA sheet steel 2 mmThick , Powder coated finish, Engine Start & Stop commands, control Relays , Ammeter & Voltmeter with selector switches, Control & 2 nos 4 pole Power Contactors with 2 no. of required size 4 pole MCCB, Timers, Electronic Hooter Visual & Alarm indication for faults, UPS, operator interface panel complete in all respect suitable for following capacity DG sets: Appropriate Test Certificate/ report of product/accessories from OEM/Panel Manufecturer shall be submitted. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR				
	23.29.3	100 to 140 KVA	1	set		
21	10.7	Providing & Fixing of ISO certified company made on load change over switch, front handle operated, four pole 415V as per PWD specification for electrical Works conforming to IS/IEC 60947-3: 1999 including connections, testing etc. as required .in the following rating. Appropriate type test certificate / OEM test report shall be submitted. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR.				
	With sheet steel enclosure made out from CRCA sheet door 1.2mm & body 1.6mm thick, powder quoted, door locking system allow opening of door in OFF position only with 2 nos external earthing points.					
	10.7.2.5	250 A	1	Each		
22	23.20 Supply & fabrication steel structure with MS channel/ angle /joist / ISMB/ shet etc. including welding, rivetting, cutting, nut & bolt , one coat of primer & two coat of enamel paint etc. as required complete in all respect. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work refer Annexure "A" attached with this BSR		150	kg		

#### Note

- (i) Quantity mentioned at Item No. 1 to 22 in Annexure-1 "Technical Specification & Compliance Sheet" will be included in above quoted price and extra quanity will be charged separately, if used (more than mentioned in Annexure-1)
- (ii) The contractor shall take into account all the costs involved of Item No. 1 to 22 in compliance of all the conditions, installation and required accessories as stated above while quoting his rates intender.
- (iii) Quantity mentioned above is tentative, it may increase or decrease as per site requirement.

दिनांक : हस्ताक्षर निविदादाता स्थान : मय पता सील मोहर

लगातार.....17

:: 17 ::

#### **Annexure -2**

# Compliance Sheet for the Supply, installation, testing and commissioning of 125KV Silent Genset with AMF panel at High Court Guest House, Banglow No. C-42, Jodhpur

S.N o.	Specification	Approx. Amount (incl. all taxes)	Make & Model No.
1	Supply, installation, testing and commissioning of 125KV Silent Genset with AMF panel, acoustic enclosure, foundations and all other accessories as per technical specifications, given elsewhere in the NIT.	11,79,696/-	

Quantity mentioned at Item No. 1 to 22 in Annexure-1 "Technical Specification & Compliance Sheet" will be included in above quoted price and extra quanity will be charged separately as under, if used (more than mentioned in Annexure-1):

S.N o.	Name of Item	Unit (mtr./pc etc.)	Make & Model No.
1	Item No. 12 (14.7.9) of Technical Specification (GI Pipe)	(mary pe etc.)	iviouci ivo.
2	Item No. 14 (11.2.10 & 11.2.10.2) of Technical Specification (Cable)		
3	Item No. 16 (11.6) of Technical Specification (Patch Work)		
4	Item No. 17 (11.10) of Technical Specification (Boggi Work)		
5	Item No. 22 (23.20) of Technical Specification (Foundation Work)		
6	Minimum one year onsite comprehensive warran equipment and parts (including wire & etc.) Write the Warranty/ DLP in Year	ity on all alied	

Note: 1. offered rates shall include GST, all applicable taxes, fees, duties, levies, transportation charges, insurance charges, installation charges, material charges, labour charges and all other charges required for the successful completion of work.

Price Bid shall not contain any condition whatsoever and any conditional bids shall be rejected.

लगातार.....18

Phone No. 0291-2888500-04, 2888385 (Store) Fax No. 0291-2888080, Pin Code – 342013, Email – <u>hc-rj@nic.in</u>

:: 18 ::

# ANNEXURE-3: PRICE BID(BoQ) (on e-Proc website):

Item Rate BoQ Validate Help Print Tender Inviting Authority: Registrar General, Rajasthan High Court, Jodhpur Tender for the Supply, installation, testing and commissioning of 125KV Silent Genset with AMF panel at High Name of Work: Court Guest House, Banglow No. C-42, Jodhpur Contract No: NIT No. HC/SK/Procurement/2022-23/51 Dated: 17.01.2023 Name of the Bidder/ Bidding Firm / Company: **PRICE SCHEDULE** (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) NUMBER NUMBER NUMBER # TEXT NUMBER # NUMBER # TEXT# TEXT# Quantity Units TOTAL SI. Item Description **Estimated** RATE In TOTAL Figures Per Unit To be No. Rate in AMOUNT in **AMOUNT** Rs. P (incl. all each In Words Rs. entered by the Bidder taxes) (incl. all taxes) 1 2 4 5 6 13 53 55 Supply, installation, testing and commissioning of 125KV Silent Genset with AMF panel, acoustic enclosure. 1.01 1 nos 0.00 INR Zero Only foundations and all other accessories as per technical specifications, given elsewhere in the NIT Item No. 12 (14.7.9) of 1.02 Technical Specification (GI 0.00 INR Zero Only Mtr Item No. 14 (11.2.10 & 11.2.10.2) of Technical 1.03 1 Mtr 0.00 INR Zero Only Specification (Cable) Item No. 16 (11.6) of Technical 1.04 1 Mtr 0.00 INR Zero Only Specification (Patch Work) Item No. 17 (11.10) of

दिनांक : स्थान :

1.05

1.06

Total in

Figures

Quoted Rate

in Words

Technical Specification (Boggi

Item No. 22 (23.20) of

**Technical Specification** 

(Foundation Work)

Work)

1

1

Mtr

Kg.

हस्ताक्षर निविदादाता मय पता सील मोहर

0.00

0.00

**INR Zero Only** 

0.00

INR Zero Only

INR Zero Only

INR Zero Only

:: 19 ::

# ANNEXURE - 4 RAJASTHAN HIGH COURT, JODHPUR

Tender for the Supply, installation, testing and commissioning of 125KV Silent Genset with AMF panel at High Court Guest House, Banglow No. C-42, Jodhpur

Registrar General

Daiasthas Iliah Ca

NIT No. HC/SK/Procurement/2022-23/51

Name of the Tendering Authority

of the firm). Date:

Addressed to:

Addr	ess	_	igh Court Campus, Jodhpur, (Rajasthan) – 342001					
Teler	phone	0291-2888		,, ,				
Tele		0291-2888	080					
Emai	I	mailto:hc-	rj@nic.in ntion the NIT no	in the subject of	of the mail)			
Firm !	Detials :							
Nam	e of Firm							
	e of Contact Person with gnation							
Regis	stered Office Address							
Addr	ess of the Firm							
Year	of Establishment							
Partner	of Firm (Public Limited/ Private Limited/ rship/ Proprietary)							
	phone/ Fax Number(s)		Γ					
	ile Number							
	I Address/ Web Site	Email:		Web-Site	2:			
GST I								
3) 4) 5)	The requisite tender fee amou BC/ receipt no dated The requisite RISL processing f vide DD/ BC dated The requisite EMD amounting Cheque/ DD No Bank Detail for RTGS	ee amountir to Rs dated	 ng to Rs/- (Rupees <	/- (Rupees <ir in words&gt;) has</ir 	n words>) has been deposited been deposited been deposited vide Banker'			
	MICR No.	Branch N	lame					
7)	We agree to abide by all the t Authority and also the further							

दिनांक : हस्ताक्षर निविदादाता स्थान : मय पता सील मोहर

which have been signed by us in token of acceptance of the terms mentioned therein along with stamp

Name & Seal of the firm: \_\_\_ Authorized Signatory: \_\_\_\_\_ Dated: 17.01.2023

**:: 20 ::** 

### **ANNEXURE-5:**

<u>SELF-DECLARATION – Non BLACKLISTING</u> {to be filled by the bidder}(on Rs. 100 Non-Judcial Stamp)

10,	
{Tendering Authority},	
In response to the Tender/ NIT No. HC/SK/Procureme	nt/2022-23/51 Dated: 17.01.2023 for {Project
Title}, as an Owner/ Partner/ Director of	<del>-</del>
declare that presently our Company/ firm	
unblemished record and is not declared ineligible for co	rrupt & fraudulent practices either indefinitely
or for a particular period of time by any State/ Central go	vernment/ PSU/ UT.
If this declaration is found to be incorrect then without p	
my/ our security may be forfeited in full and our bid, to the	ne extent accepted, may be cancelled.
Thanking you,	
Name of the Bidder: -	
Authorised Signatory: -	
Seal of the Organization: -	
Date:	
Place:	

हस्ताक्षर निविदादाता दिनांक : मय पता सील मोहर स्थान :

**:: 21 ::** 

# <u>ANNEXURE – 6 EXPERIENCE DETAILS</u> (Work order/Work completation Certificate for similar work)

Ref: NIT No. HC/SK/PROCUREMENT/2022-23/51 Dated: 17.01.2023 for Supply, installation, testing and commissioning of 125KV Silent Genset with AMF panel at High Court Guest House, Banglow No. C-42, Jodhpur

### कार्य के अनुभव का विवरण

विभाग / संस्थान का नाम	राजकीय / अर्द्धराजकीय / प्राइवेट	अवधि (कार्यादेश की प्रति मय प्रमाण पत्र संलग्न करें)	दिनांक से दिनांक तक	क्या वर्तमान में इस विभाग / संस्थान में कार्य किया जा रहा है (हॉ / नहीं)

∷ 22 ∷

### **ANNEXURE-7**

### **COMPLETION CERTIFICATE**

Having executed the work in terms of the contract, we hereby certify and affirm that we have completed the contracted works.

We hereby certify that the work has been executed wholly to our satisfaction and with materials and workmanship in accordance with the contract.

Thus we ensure that there will not be any defect in the functioning of DG. We do certify further that we have executed the work in accordance with the applicable laws and without any transgression of such laws.

	Signature of the Contractor
Place:	Name :
Date:	Address :
	Seal ·

**∷** 23 **∷** 

### **ANNEXURE-8**

### **RTGS DETAILS OF FIRM (ON FIRM LETTER HEAD)**

### (Must be filled)

Dea	r sır
Dea	

**Bank Details** 

We hereby confirm that we are willing to opt for payment to be received through RTGS/ NEFT. The bank details duly confirm by bank, for receipt of payment against material supply/services, miscellaneous dues.

1)	Account No.	:
2)	Type of Account	:
3)	Bank Name	:
4)	Branch Name & Address	:
5)	Contact No. of the Branch	:
6)	IFSC No.	:
7)	PAN No.	:
Comn	nunication Details	
1)	e-mail ID :	
2)	Cell No. :	
	We authorize you to deduct	necessary bank charges of NEFT/RTGS.
	We have forwarded a soft co	py of the above details to <a href="mailto:hc-rj@nic.in">hc-rj@nic.in</a> on date –
		Yours faithfully,
		<del></del>
	(Sig	nature & Name of auth. sign. with company/firm stamping)
<u>Bank</u>	<u>Confirmation</u>	
Certifo	oed that the furnished above ba	nk details are correct as per our records.
Bank'	s Stamp	Authorized Signatory Date
दिनांक ज्यान		हस्ताक्षर निविदादाता मय पता सील मोहर
स्थान	•	मय पता साल माहर

**:: 24 ::** 

### Annexure-9 DRAFT AGREEMENT FORMAT

(As per rules on Non-Judicial Stamp Paper of Rs. Equal to 0.25% of tender cost / work order maximum upto Rs.15000/-)

	{to be signed by selected bidder(s) and tendering authority}
<i>addr</i> admi the F	greement made this (enter date of Agreement) between(enter your firm's name & ess) (hereinafter called "the approved supplier", which expression shall, where the context so its, be deemed to include his heirs, successors, executors and administrators of the one part and RHC which expression shall, where the context so admits, be deemed to include his successors in e and assigns of the other part.
Rajas vario Worl cond	reas the approved supplier has agreed with the RHC to supply to the Registrar General, sthan High Court, Jodhpur, Rajasthan on behalf of (enter name of client organisation) to its ous Offices as well as at its branch offices throughout Rajasthan, all those articles set forth in our of the No Dated appended hereto in the manner set forth in the litions of the bidding document and contract appended herewith and at the rates set forth in the order.
	And whereas the approved supplier has deposited a sum of Rs in the form of: -
a)	Cash/ Bank Draft No./ Banker Cheque/ Bank Guarantee No
	dated valid upto
b)	Post Officer Savings Bank Pass Book duly hypothecated to the Departmental authority.
c)	National Savings Certificates / Defence Savings Certificates / Kisan Vikas Patras or any other script / instrument under National Saving Schemes for promotion of Small Savings, if the same can be pledged under the relevant rule. (The certificates being accepted at surrender value) as security for the due performance of the aforesaid agreement which has been formally transferred to RHC.
	Now these Presents witness:
1)	In consideration of the payment to be made by the RHC through cheque/ DD at the rates set forth in the Work Order hereto appended the approved supplier will duly supply the said articles set forth in our Work Order No dated//20 thereof in the manner set forth in the NIT, Tender Form, Instructions to Bidders, Terms of Reference, General and Special Conditions of the Tender and Contract, Technical Bid and Financial Bid along with their enclosures.
2)	The NIT, Tender Form, Scope of Work, General and Special Terms & Conditions of the Tender and Contract, Technical Bid and Financial Bid along with their enclosures enclosed with the Tender Notice NIT No.: HC/SK/Procurement/2022-23/51 Dated 17.01.2023 and also appended to this agreement will be deemed to be taken as part of this agreement and are binding on the parties executing this agreement.
3)	Letter Nos dated received from {bidder} and letter Nos Dated issued by the RHC. and appended to this agreement shall also form part of this agreement.

#### :: 25::

- 4) The RHC do hereby agree that if the approved supplier shall duly supply the said articles in the manner aforesaid observe and keep the said terms and conditions, the RHC will through cheque/ DD pay or cause to be paid to the approved supplier at the time and the manner set forth in the said conditions, the amount payable for each and every consignment.
- 5) The mode of payment will be as specified in this bidding document/ work order.

  The prescribed scope of work/ requirement of services and deployment of technical resources shall be effected and completed within the period as specified in the Work Order.

In case of extension in the delivery period/ completion period with liquidated damages, the recovery shall be made on the basis of following percentages of value of stores/ works which the bidder has failed to supply or complete the work.

No	Condition	LD %
	Delay up to one fourth period of the prescribed delivery period / commencement of	
a.	work	2.5 %
	delay exceeding one fourth but not exceeding half of the prescribed period /	
b.	commencement of work	5.0 %
	delay exceeding half but not exceeding three fourth of the prescribed period /	
c.	commencement of work	7.5 %
d.	Delay exceeding three fourth of the prescribed period / commencement of work	10.0 %

#### Note:

- i. Fraction of a day in reckoning period of delay in supplies and completion of work shall be eliminated, if it is less than half a day.
- ii. The maximum amount of liquidated damages shall be 10% of the desired Lot.
- iii. \*The percentage refers to the payment due for the associated milestone/lot.

If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrances, he shall apply in writing to the authority which had placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.

Delivery period may be extended with or without liquidated damages if the delay in the supply of goods in on account of hindrances beyond the control of the bidder.

Warranty/ Services shall be provided by the bidder as per terms and conditions of the NIT and Contract.

All disputes arising out of this agreement and all questions relating to the interpretation of this agreement shall be decided by the RHC and the decision of the RHC shall be final.

In witness whereof the parties hereto have set	their hands on the day of (Year)
Signature with Seal of the Approved	Signature for and on behalf of
supplier/ bidder	Registrar General, RHC, Jodhpur
Designation:	Designation:
Date:	Date:
Witness No.1	Witness No.1